

REFERENCIAS BIBLIOGRÁFICAS

Aharon, T., Schneider, R.J. (1993) Selective Destabilization of Short-Lived mRNAs with the Granulocyte-Macrophage Colony-Stimulating Factor AU-rich 3' Noncoding Regions Is Mediated by a Cotranslational Mechanism. *Mol. Cell. Biol.* 13, 1971-1980.

Ausubel, F.M., Brent, R., Kingston, R., Moore, D., Seidman, J., Sthrul, K. (1987) Current Protocols In Molecular Biology. John Wiley & Sons, New York.

Barnes, L.M., Bentley, C.M., Dickson, A.J. (2001) Characterization of the Stability of Recombinant Protein Production in the GS-NS0 Expression System. *Biotechnol. Bioeng.* 73, 261-270.

Barnes, L.M., Bentley C.M., Dickson, A.J. (2003) Stability of Protein Production From Recombinant Mammalian Cells. *Biotechnol. Bioeng.* 81, 631-639.

Bayer, E. A., Skultesky, E., Wilchek, M. (1979) The avidin-biotin complex in affinity cytochemistry. *Meth. Enzymol.* 62, 308-315.

Behr, J.P., Demeneix, B., Loeffler, J.P., Perez-Mutul, J. (1989) Efficient gene transfer in mammalian primary endocrine cells with lipopolyamine-coated DNA. *Proc. Natl. Acad. Sci. EE.UU.* 86, 6982-6986.

Bekisz, J., Schmeisser, H., Hernandez, J., Goldman, N.D., Zoon, K.C. (2004) Human Interferons Alpha, Beta and Omega. *Growth Factors* 22, 243-251.

Berthelot, M.P.E. (1859) Violet d'aniline. *Repertoire Chimi Appliquee* 1, 284.

Brickelmaier, M., Hochman, P., Baciu, R., Chao, B., Whitty, A. (1999) ELISA methods for the analysis of antibody responses induced in multiple sclerosis patients treated with recombinant interferon- β . *J. Immunol. Methods* 227, 121-135.

Brigham, K.L., Meyrick, B., Christman, B., Magnuson, M., King, G., Berry, L.C. Jr. (1989) *In vivo* transfection and expression of murine lungs with a functioning prokaryotic gene using liposome vehicle. *Am. J. Med. Sci.* 298, 278-281.

Brown, R., Strathdee, G. (2002) Epigenomics and epigenetic therapy of cancer. *Trends Mol. Med.* 8, 43-48.

Cao, H. (2004) Expression, Purification, and Biochemical Characterization of the Antiinflammatory Tristetraprolin: A Zinc-Dependent mRNA Binding Protein Affected by Posttranslational Modifications. *Biochemistry* 43, 13724-13738.

- Capstick, P.B., Telling, R.C., Chapman, W.G., Stewart, D.L.** (1962) Growth of a cloned strain of hamster kidney cells in suspended cultures and their susceptibility to the virus of foot and mouth disease. *Nature* 195: 1163-1164.
- Chen, C.-Y.A., Shyu, A.-B.** (1995) AU-rich elements: characterization and importance in mRNA degradation. *Trends Biochem. Sci.* 20, 465-470.
- Chen, C.-Y.A., Gherzi, R., Ong, S.-E., Chan, E.L., Raijmakers, R., Pruijn, G.J.M., Stoecklin, G., Moroni, C., Mann, M., Karin, M.** (2001) AU Binding Proteins Recruit the Exosome to Degrade ARE-Containing mRNAs. *Cell.* 107, 451-464.
- Chesnoy, S., Huang, L.** (2000) Structure and function of lipid-DNA complex for gene delivery. *Annu. Rev. Biophys. Biomol. Struct.* 29, 27-47.
- Chung, B. S., Jeong, Y. T., Chang, K. H., Kim, J. S., Kim, J. H.** (2001) Effect of sodium butyrate on glycosylation of recombinant erythropoietin. *J. Microbiol. Biotechnol.* 11, 1087-1092.
- Cockett , M.I., Bebbington, C.R., Yarranton, G.T.** (1990) The use of engineered E1a genes to transactivate the hCMV-MIE promoter in permanent CHO cell lines. *Nucleic Acids Res.* 19, 319-325.
- Cohen, S.N., Chang, A.C.Y, Hsu, L.** (1972) Nonchromosomal antibiotic resistance in bacteria: genetic transformation of *Escherichia coli* by R-factor DNA. *Proc. Natl. Acad. Sci. EE.UU.* 69, 2110-2114.
- Colby, C.B., Inoue, M., Thompson, M., Tan, Y.H.** (1984) Immunological differentiation between *E. coli* and CHO cell-derived recombinant and natural human beta-interferon. *J. Immunol.* 133, 3091-3095.
- Coonrod, A., Li, F.Q., Horwitz, M.** (1997) On the mechanism of DNA transfection: efficient gene transfer without viruses. *Gene Ther.* 4, 1313-1321.
- D'Anna, J.A., Tobey, R.A., Gurley, L.R.** (1980) Concentration-Dependent Effects of Sodium Butyrate in Chinese Hamster Cells: Cell-Cycle Progression, Inner-Histone Acetylation, Histone H1 Dephosphorylation, and Induction of an H1-like Protein. *Biochemistry* 19, 2656-2671.
- De Mayer, E., De Mayer-Guignard, J.** (1994) Interferons. En: *The Cytokine Handbook*, Academic Press Limited, pp. 265-288.
- De, J., Lai, W.S., Thorn, J.M., Goldsworthy, S.M., Liu, X., Blackwell, T.K. Blackshear, P.J.** (1999) Identification of four CCCH zinc finger proteins in *Xenopus*, including a novel vertebrate protein with four zinc fingers and severely restricted expression. *Gene* 228, 133-145.

de Veer, M. J., Holko, M., Frevel, M., Walker, E., Der, S., Paranjape, J. M., Silverman, R. H., Williams, B. R. (2001) Functional classification of interferon-stimulated genes identified using microarrays. *J. Leukocyte Biol.* 69, 912-920.

Etcheverry, T. (1996) Expression of Engineered Proteins in Mammalian Cell Culture. En: *Protein Engineering. Principles and Practice*, J. L. Cleland and C.S, Craik (eds.), Wiley-Liss, Inc. USA, pp. 163-181.

Fawcett, J.K, Scott, J.E. (1960) A rapid and precise method for the determination of urea. *J. Clin. Pathol.* 13: 156-159.

Felgner, J.H., Kumar, R., Sridhar, C.N., Wheeler, C.J., Tsai, Y.J., Border, R., Ramsey, P., Martin, M., Felgner, P.L. (1994) Enhanced gene delivery and mechanism studies with a novel series of cationic lipid formulation. *J. Biol. Chem.* 269, 2550-2561.

Felgner, P.L., Gadek, T.R., Hola, M., Roman, R., Chan, H.W., Wenz, M., Northrop, J.P., Ringold, G.M., Danielsen, M. (1987) Lipofection: a highly efficient, lipid-mediated DNA transfection procedure. *Proc. Natl. Acad. Sci. EE.UU.* 84, 7413-7417.

Freshney, R. (1994a) Maintenance of the culture: cell lines. En: *Culture of animals cells. A manual of basic techniques*. Wiley-Liss Inc. New Jersey, EE.UU., pp. 149-159.

Freshney, R. (1994b) Instability, variation and preservation. En: *Culture of animals cells. A manual of basic techniques*. Wiley-Liss Inc. New Jersey, EE.UU., pp. 253-265.

Freshney, R. (1994c) Cloning and selection of specific cell types. En: *Culture of animals cells. A manual of basic techniques*. Wiley-Liss Inc. New Jersey, EE.UU., pp. 161-178.

Fussenegger, M., Bailey, J.E., Hause, H., Mueller, P.P. (1999) Genetic optimization of recombinant glycoprotein production by mammalian cells. *Tibtech January* 17, 35-42.

Galfrè, G., Milstein, C. (1981) Preparation of monoclonal antibodies: strategies and procedures. *Meth. Enzymol.* 73, 3-46.

Gluzman, Y. (1981) SV40-transformed simian cells support the replication of early SV40 mutants. *Cell* 23, 175-182.

Goergen, J.L., Marc, A., Engasser, J.M. (1997) Kinetics and Stimulation of Animal Cell Processes. En: *Mammalian Cell Biotechnology in Protein Production*. Hauser, H.J., Wagner, R. (eds.). Walter de Gruyter, Berlín, Alemania, pp. 345-366.

Gooche, C.F., Monica, T. (1990) Environmental effects on protein glycosylation. *Bio/Technology* 8, 421-427.

Goodbourn, S., Didcock, L., Randall, R.E. (2000) Interferons: cell signalling, immune modulation, antiviral responses and virus countermeasures. *J. Gen. Virol.* 81, 2341-2364.

Grafo, G., Sela, I., Galili, G. (1993) Translational Regulation of Human Beta Interferon mRNA: Association of the 3' AU-Rich Sequence with the Poly(A) Tail Reduce Translation Efficiency In Vitro. *Mol. Cell. Biol.*, 3487-3493.

Graham, F.L., Smiley, J., Russel, W.C., Naim, R. (1977) Characteristics of a human cell line transformed by DNA from human adenovirus type 5. *J. Gen. Virology* 36, 59-72.

Green, A.E., Athreya, B., Lehr, H.B., Coriell, L.L. (1967) Viability of cultures following extended preservation in liquid nitrogen. *Proc. Soc. Exp. Biol. Med.* 124, 1302-1307.

Griffiths, B. (1986) Scaling-up of animal cell cultures. En: *Animal Cell Culture*. R. I. Freshney (ed.) IRL PRESS, Oxford, Washington DC, pp. 33-69.

Guide to eukaryotic transfections with cationic lipid reagents. Gibco BRL EE.UU.

Guterman, J. U. (1994) Cytokine therapeutics: lessons from interferon alpha. *Proc. Natl. Acad. Sci. USA* 91, 1198-1205.

Hamilton, R.G., Franklin Adkinson, N. (1988) Quantitative aspects of solid phase immunoassays. En: *ELISA and other solid phase immunoassays*. Kemeny, D.M., Challacombe, S.J. (eds.), John Wiley and Sons Ltd., Gran Bretaña, pp. 56-84.

Harlow, E., Lane, D. (1988) En: *Antibodies. A laboratory manual*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, EE.UU.

Hartmann, R., Walko, G., Justesen, J. (2001) Inhibition of 2'-5' oligoadenylate synthetase by divalent metal ions. *FEBS Lett.* 507, 54-58.

Hauser, H. (1997) Heterologous Expression of Genes in Mammalian Cells. En: *Mammalian Cell Biotechnology in Protein Production*. Walter de Gruyter (ed.), Berlín, New York, pp. 3-27.

Hawley-Nelson, P., Ciccarone, V., Gebeyehu, G., Jesse, J. (1993) LipofectAMINE reagent: a new, higher efficiency polycationic liposome transfection reagent. *Focus* 15, 73-79.

Hayflick, L. (1961) The establishment of a line (WISH) of human amnion cells in continuous cultivation. *Exp. Cell. Res.* 23, 14-20.

Hendrick, V., Winnepernink, P., Abdelkafi, C., Vandepitte, O., Cherlet, M., Marique, T., Renemann, G., Loa, A., Kretzmer, G., Werenne, J. (2001) Increased productivity of recombinant tissular plasminogen activator (t-PA) by butyrate and shift of temperature: a cell cycle phases analysis. *Cytotechnology* 36, 71-83.

Hyde, S.C., Gill, D.R., Higgins, C.F., Trezise, A.E., MacVinish, L.J., Cuthbert, A.W., Ratcliff, R., Evans, M.J., Colledge, W.H. (1993) Correction of the ion transport defect in cystic fibrosis transgenic mice by gene therapy. *Nature* 362, 250-255.

Kagawa, Y., Takasaki, S., Utsumi, J., Hosoi, K., Shimizu, H., Kochibe, N., Kobata, A. (1988) Comparative study of the asparagine-linked sugar chains of natural human interferon- β 1 and recombinant human interferon- β 1 produced by three different mammalian cells. *J. Biol. Chem.* 263, 17508-17515.

Karpusas, M., Whitty, A., Runkel, L., Hochman, P. (1998) The structure of human interferon- β : implications for activity. *Cell. Mol. Life Sci.* 54, 1203-1216.

Kaufman R. J. (1991) Selection and Coamplification of Heterologous Genes in Mammalian Cells. En: *Methods in Enzymology*. Academic Press, Inc. San Diego, pp. 537-565.

Kaufman, R. (1990) Vectors used for expression in mammalian cells. *Meth. Enzymol.* 185, 487-511.

Kaufman, R. (1997) DNA transfection to study translational control in mammalian cells. *Methods* 11, 361-370.

Kaufman, R.J., Sharp, P.A. (1982) Construction of a modular dihydrofolate reductase cDNA gene: analysis of signals utilized for efficient expression. *Mol. Cell. Biol.*, 1304-1319.

Kim, N. S., Lee, G. M. (2000) Overexpression of bcl-2 inhibits sodium butyrate-induced apoptosis in Chinese hamster ovary cells resulting in enhanced humanized antibody production. *Biotechnol. Bioeng.* 71, 184-193.

Kivisakk, P., Alm, G. V., Fredrikson, S., Link, H. (2000) Neutralizing and binding anti-interferon-beta (IFN-beta) antibodies. A comparison between IFN-beta-1a and IFN-beta-1b treatment in multiple sclerosis. *Eur. J. Neurol.* 7, 27-34.

Kratje, R.B. (1991) Biorreactores para el cultivo de células animales. Revista de la Sociedad Argentina de Farmacia y Bioquímica Industrial (SAFYBI), Buenos Aires, Argentina, 31, 18-36.

Kratje, R.B., Wagner, R. (1992) Evaluation of production of recombinant human interleukin-2 in fluidized bed bireactor. *Biotechnol. Bioeng.* 39: 233-242.

Kruys, V., Wathelet, M., Poupart, P., Contreras, R., Fiers, W., Content, J., Huez, G. (1987) The 3' untranslatable region of the human interferon- β mRNA has an inhibitory effect on translation. *Proc. Natl. Acad. Sci.* 84, 6030-6034.

- Kumral, A., Genc, S., Ozer, E., Yilmaz, O., Gokmen, N., Koroglu, T.F., Duman, N., Genc, K., Ozkan, H.** (2005) Erythropoietin Downregulates Bax and DP5 ProApoptotic Gene Expression in Neonatal Hypoxic-Ischemic Brain Injury. *Biol Neonate* 9, 205-210.
- Laemmli, U. K.** (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227, 680-685.
- Lee, D. Y., Hayes, J. J., Pruss, D., Wolffe, A. P.** (1993) A positive role for histone acetylation in transcription factor access to nucleosomal DNA. *Cell* 72, 73-84.
- Leppert,D., Waubant, E., Bürk, M.R., Oksenberg, J.R., Hausr, S.L.** (1996) Interferon beta-1b inhibits gelatinase secretion and in vitro migration of human T cells: a possible mechanism for treatment efficacy in multiple sclerosis. *Ann. Neurol.* 40, 846-852.
- Leventis, R., Silvius, J.R.** (1990) Interactions of mammalian cells with lipid dispersions containing novel metabolizable cationic amphiphiles. *Biochem. Biophys. Acta* 1023, 124-132.
- Lovelock, J.E., Bishop, M.W.H.** (1959) Prevention of freezing damage to living cells with dimethyl sulphoxide. *Nature* 183, 1394-1395.
- Lutton, J.D., Winston, R. Rodman, T.C.** (2004) Multiple Sclerosis: Etiological Mechanisms and Future Directions. *Exp. Biol. Med.* 229, 12-20.
- MacDonald, A.S., Schifferli, K., Anderson, D., Jesse, J., Ciccarone, V.** (1996) A simple method for cationic lipid reagent selection for transfection. *Focus* 18, 6-9.
- MacPherson, I., Stoker, M.** (1962) Polyoma transformation of hamster cell clones: an investigation of genetic factors affecting cell competence. *Virology* 16, 147-151.
- Mandel, M., Higa, A.** (1970) Calcium-dependent bacteriophage DNA infection. *J. Mol. Biol.* 53, 159-162.
- Margni, R.A.** (1996) Apéndice III. En: *Inmunología e Inmunoquímica. Fundamentos*. Margni, A. (ed.), Editorial Médica Panamericana S.A, Buenos Aires, Argentina, pp. 960-961.
- Mather J.P.** (1991) Optimizing Cell and Culture Environment for Production of Recombinant Proteins. En: *Methods in Enzymology*. Academic Press, Inc. San Diego, pp. 567-577
- Meager, A.** (2002) Biological assays for interferons. *J. Immunol. Meth.* 261, 21-36.
- Meager, A., Gaine-Das, R.** (2005) Biological standarization of human interferon beta: Establishment of a replacement world health organization international biological standard for human glycosylated interferon beta. *J. Immunol. Meth.* 306, 1-15.

- Meissner, P., Pick, H., Kulangara, A., Chatellard, P., Friedrich, K., Wurm, F.W.** (2001) Transient gene expression: recombinant protein with suspension-adapted HEK293-EBNA cells. *Biotechnol. Bioeng.* 75, 197-203.
- Milano, F., Etcheverrigaray, M.** (2001). Tesina de Licenciatura en Biotecnología: Diseño y validación de bioensayos para la valoración biológica *in vitro* de fármacos. Facultad de Bioquímica y Ciencias Biológicas, UNL, Santa Fe, Argentina.
- Mimura, Y., Lund, J., Church, S., Dong, S., Li, J., Goodall, M., Jefferis, R.** (2001) Butyrate increases production of human chimeric IgG in CHO-K1 cells whilst maintaining function and glycoform profile. *J. Immunol. Meth.* 247, 205-216.
- Mire-Sluis, A.R.** (1999) Cytokines: from technology to therapeutics. *TIBTECH* 17, 319-325.
- Mire-Sluis, A.R.; Gaine-Das, R., Thorpe, R.** (1995) Imunoassays for detecting cytokines by bioassay using cytokine responsive cell lines. *J. Immunol. Meth.* 211, 199-210.
- Mire-Sluis. A. R., Gerrard, T., Gaines-Das, R., Padilla, A., Thorpe, R.** (1996) Biological assays: their role in the development and quality control of recombinant biological medicinal products. *Biologicals* 24, 351-362.
- Mizuarai, S., Ono, K., Kamihira, M., Iijima, S.** (2001) Protamine-Modified DDAB lipid vesicles promote gene transfer in the presence of serum. *J. Biochem.* 129, 125-132.
- Mosca, J.D., Pitha, P.M.** (1986) Transcriptional and Posttranscriptional Regulation of Exogenous Human Beta Interferon Gene in Simian Cells Defective in Interferons Synthesis. *Mol. Cell. Biol.*, 2279-2283.
- Ngo, T.T., Phan, A.P.H., Yam, F.C., Lenhoff, H.M.** (1982) Interference in determination of ammonia with the hypochlorite-alkaline phenol method of Berthelot. *Annal. Chem.* 54: 46-49.
- Palermo, D.P., DeGraaf, M.E., Marotti, K.R., Rehberg, E., Post, L.E.** (1991) Production of analytical quantities of recombinant proteins in Chinese hamster ovary cells using sodium butyrate to elevate gene expression. *J. Biotechnol.* 19, 35-48.
- Park, J.H., Kim, W.B., Kim, Y.K., Lees, S.Y., Yang, J.M.** (2000) Efficiency of promoter and cell line high-level expression of erythropoietin. *Biotecnol. Appl. Biochem.* 32, 167-172.
- Pasté, M., Huez, G., Kruys, V.** (2003) Deadenylation of interferon- β mRNA is mediated by both the AU-rich element in the 3'-untranslated region and an instability sequence in the coding region. *Eur. J. Biochem.* 270, 1590-1597.

- Perry, D.K., Smyth, M.J., Stennicke, H.R., Salvesen, G.S., Duriez, P., Poirier, G.G., Hannun, Y.A.** (1997) Zinc Is a Potent Inhibitor of the Apoptotic Protease, Caspase-3. *J. Biol. Chem.* 272, 18530-18533.
- Piglas, B.N., Knipe, D.M., Howbly, P.M.** (1996) Cytokine genes and proteins. En: *Virology*. Lippincott William and Wilkins, pp. 376-399.
- Prasad, A.S, Oberleas, D.** (1970) Binding of zinc to amino acid and serum proteins in vitro. *J. Lab. Clin. Med.* 76, 416-425.
- Puck, T.T, Cieciura, S.J., Robinson, A.** (1958) Long-term cultivation of euploid cells from human and animal subjects. *J. Exp. Med.* 108: 945-959.
- Rai, M., Padh, H.** (2001) Expression systems for production of heterologous proteins. *Current Science* 80, 1121-1128.
- Raj, N.B.K., Pitha, P.M.** (1981) Analysis of interferon mRNA in human fibroblast cells induced to produce interferon. *Proc. Natl. Acad. Sci.* 78, 7426-7430.
- Raj, N.B.K., Pitha, P.M.** (1993) 65-kDa protein binds to destabilizing sequences in the IFN- β mRNA coding and 3'UTR. *J. FASEB* 7, 702-710.
- Revel, M.** (2003) Interferon- β in the treatment of relapsing-remitting multiple sclerosis. *Pharmacol. Ther.* 100, 49-62.
- Rodriguez, J., Spearman, M., Huzel, N., Butler, M.** (2005) Enhanced Production of Monomeric Interferon- β by CHO Cells through the Control of Culture Conditions. *Biotechnol. Prog.* 21, 22-30.
- Rossmann, C., Sharp, N., Allen, G., Gewert, D.** (1996) Expression and Purification of Recombinant, Glycosilated Human Interferon Alpha 2b in Murine Myeloma NS0 Cells. *Protein Expr. Purif.* 7, 335-342.
- Rubinstein, S., Familletti, P.C., Pestka, S.** (1981) Convenient Assay for Interferons. *J. Virol.* 37, 755-758.
- Runkel, L., Meier, W., Pepinsky, R.B., Karpusas, M., Whitty, A., Kimball, K., Brickelmaier, M., Muldowney, C., Jones, W., Goelz, S.E.** (1998) Structural and functional differences between glycosylated and non-glycosylated forms of human interferon-beta. *Pharm. Res.* 15, 641-649.
- Sambrook, J., Fritsch, E.F., Maniatis, T.** (1989a) Expression of Cloned Genes in Cultured Mammalian Cells. En: *Molecular Cloning*. C. Nolan (ed.) CSH Laboraty Press, Cap.16.

- Sambrook, J., Fritsch, E.F., Maniatis, T.** (1989b) Bacterial media, antibiotics and bacterial strains. En: *Molecular Cloning*. C. Nolan (ed.) CSH Laboraty Press, Apéndice A.5.
- Sambrook, J., Fritsch, E.F., Maniatis, T.** (1989c) Spectrophotometric Determination of the Amount of DNA or RNA. En: *Molecular Cloning*. C. Nolan (ed.) CSH Laboraty Press, Apéndice E.5.
- San, H., Yang, Z.Y., Pompili, V.J., Jaffe, M.L., Plautz, G.E., Xu, L., Felgner, J.H., Wheeler, C.J., Felgner, P.L., Gao, X.** (1993) Safety and toxicity of a novel cationic lipid formulation for human gene therapy. *Hum. Gene Ther.* 4, 781-788.
- Sanes, J.R., Rubinstein, J.L.R., Nicolas, J.F.** (1986) Use of a recombinant retrovirus to study post-implantation cell linage in mouse embryos. *EMBO J.* 5, 3133-3142.
- Savage, A.** (1997) Glycosilation: a post-translational modification. En: *Mammalian Cell Biotechnology in Protein Production*. Hauser, H.J., Wagner, R. (eds.) Walter de Gruyter, Berlín, Alemania, pp. 233-276.
- Schlokat, U., Himmelsbach, M., Falkner, F.G., Dorner, F.** (1997) Permanent gene expression in mammalian cells: gene transfer and selection. En: *Mammalian Cell Biotechnology in Protein Production*. Hauser, H.J., Wagner, R. (eds.), Walter de Gruyter, Berlín, Alemania, pp. 33-63.
- Sega, S., Wraber, B., Mesec, A., Horvat, A., Ihn, A.** (2004) IFN- β 1a and IFN- β 1b have different patterns of influence on cytokies. *Clin. Neurol. Neurosurg.* 106, 255-258.
- Sen, G.C., Lengyel, P.** (1992) The Interferon System. *J. Biol. Chem.* 267, 5017-5020.
- Silva, M., Grillot, D., Benito, A., Richard, C., Núñez, G., Fernandez Luna, J.L.** (1996) Erythropoietin can promote erytroid progenitor survival by repressing apoptosis through bcl-XL and bcl-2. *Blood* 88, 1576-1580.
- Smchidt, F.R.** (2004) Recombinant expresión systems in the pharmaceutical industry. *Appl. Microbiol. Biotechnol.* 65, 363-372.
- Soeth, E., Thurber, D.B., Smith, C.L.** (2002) The Viral Transactivator E1A Regulates the Mouse Mammary Tumor Virus Promoter in an Isoform- and Chromatin-specific Manner. *J. Biol. Chem.* 277, 19847-19854.
- Souleimani, A., Asselin, C.** (1993) Regulation of *c-myc* expresión by sodium butyrate in the colon carcinoma cell line Caco-2. *FEBSS Lett.* 326, 45-50.
- Stoker, M., MacPherson, I.** (1964) Syriam hamster fibroblast cell line and its derivatives. *Nature* 203, 1355-1357.

- Sung, Y.H., Song, Y.J., Seung, W.L., Chung, J.Y, Lee, G.M.** (2004). Effect of sodium butyrate on the production, heterogeneity and biological activity of human thromboietin by recombinant Chinese hamster ovary cells. *J. Biotechnol.* 112, 323-335.
- Swaminathan, S., Thimmapaya, B.** (1996) Transactivation of Adenovirus E2-early Promoter by E1A and E4 6/7 in the Context of Viral Chromosome. *J. Mol. Biol.* 258, 736-746.
- Taylor, G.A., Blackshear, P.J.** (1995) Zinc Inhibits Turnover of Labile mRNAs in Intact Cells. *J. Cell. Physiol.* 162, 378-387.
- Tunon, P., Johansson, K. E.** (1984) Yet another improved silver staining method for the detection of proteins in polyacrylamide gels. *J. Biochem. Biophys. Meth.* 9, 171-179.
- Um, M., Lodish, H.F.** (2006) Antiapoptotic effects of erythropoietin in differentiated neuroblastoma SH-SY5Y cells require activation of both the STAT5 and AKT signaling pathways. *J. Biol. Chem.* 281, 5648-5656.
- Urlaub, G., Chasin, L. A.** (1980) Isolation of Chinese hamster cell mutants deficient in dihydrofolate reductase activity. *Proc. Natl. Acad. Sci. USA* 77, 4216-4220.
- Utsumi, J., Mizuno, Y., Hosoi, K., Okano, K., Sawada, R., Kajitani, M., Sakai, I., Naruto, M., Shimizu, H.** (1989) Characterization of four different mammalian-cell-derived recombinant human interferon- β 1s. Identical polypeptides and non-identical carbohydrates moieties compared to natural ones. *Eur. J. Biochem.* 181, 545-553.
- Utsumi, J., Yamazaki, S., Kawaguchi, K., Kimura, S., Shimizu, H.** (1989) Stability of human interferon- β 1: oligomeric human interferon- β 1 is inactive but is reactivated by monomerization. *Biochim. Biophys Acta* 998, 167-172.
- Van Dyk, D.D., Misztal, D.R., Mackintosh, J.A., Poljak, A., Varnai, J.C., Teber, E., Walsh, B.J., Gray, P.P.** (2003) Identification of cellular changes associated with increased production of human growth hormone in a recombinant Chinese hamster ovary cell line. *Proteomics* 3, 147-156.
- Wadhwa, M., Bird, C., Fagerberg, J., Gaine-Das, R., Ragnhammar, P., Mellstedt, H., Thorpe, R.** (1996) Production of neutralizing granulocyte-macrophage colony-stimulating factor (GM-CSF) antibodies in carcinoma patients following GM-CSF combination therapy. *Clin. Exp. Immunol.* 104, 351-358.
- Wagner, R.** (1997) Metabolic Control of Animal Cell Cultured Processes. En: *Mammalian Cell Biotechnology in Protein Production*. Hauser, H.J., Wagner, R. (eds.). Walter de Gruyter, Berlín, Alemania, pp. 193-224.

- Wagner, R.** (2001) Process-oriented metabolic engineering: cell lines with new properties in nutrient explotation and protein glycosylation. En: *Recombinant Protein Production with Prokaryotic and Eukaryotic Cells: A Comparative View on Host Physiology*. Cole, J., Mattanovich, D. (eds.), Kluwer Academic Publishers, Países Bajos, pp. 1-6.
- Walls, J.D., Berg, D.T., Yan, S.B., Grimell, B.W.** (1989) Amplification of multicistronic plasmids in the human 293 cell line and secretion of correctly processed recombinant human protein C. *Gene* 81, 139-149.
- Weymouth, L.A., Barsoum, J.** (1986) Genetic Engineering in Mammalian Cells En: *Mammalian Cell Technology*. Thilly, W.G. (ed.), Butterworths, New York, EE.UU., pp.9-62.
- Whitlock, C., Muller-Sieburg, C.** (1990). Long-term B lymphoid cultures from murine bone marrow. Establishment and cloning by using stromal cell line AC 6.21. En: *Animal Cell Culture. Methods in Molecular Biology*. Pollard J, Walker J (eds.), The Humana Press Inc. Clifton, EE.UU., pp. 303-322.
- Whittemore, L.-A., Maniatis, T.** (1990) Postinduction Turnoff of Beta-Interferon Gene Expression. *Mol. Cell. Biol.*, 1329-1337.
- Williams, G.J., Witt, P.L.** (1998) Comparative study of the pharmacodynamic and pharmacologic effects of Betaseron and AVONEX. *J. Interferon Cytokine Res.* 18, 967-975.
- Wirth, M., Hauser, H.** (1993) General and Tissue-Specific Gene Transcription. En: *Genetic Engineering of Animal Cells*. VCH, Weinheim, New York, Basel, Cambridge, pp. 717-730.
- Worthington, M.T., Pelo, J.W., Sachedina, M.A., Applegate, J.L., Arseneau, K.O., Pizarro, T.T.** (2002) RNA Binding Properties of the AU-rich Element-binding Recombinant Nup475/TIS11/Tristetraprolin Protein. *J. Biol. Chem.* 277, 48558-48564.
- Wurm, F.M.** (1997) Aspects of Genen Transfer and Gene Amplification in Recombinant Mammalian Cells. En: *Mammalian Cell Biotechnology in Protein Production*. Hauser, H.J, Wagner, R. (eds.), Walter de Gruyter. Berlín, Alemania, pp. 87-120.
- Yong, V.W., Chabot, S., Stuve, O., Williams, G.** (1998) Interferon beta in the treatment of multiple sclerosis: mechanism of action. *Neurology* 51, 682-689.
- Zhi-Li, X, Hiroyuki, M., Akiko, I.-W., Eriko, U., Tadanori, M., Takao, H.** (2001) Optimization of transcriptional regulatory elements for constructing plasmid vectors. *Gene* 272, 149-156.
- Zhu, N., Liggitt, D., Liu, Y., Debs, R.** (1993) Systematic gene expression after intravenous DNA delivery into adult mice. *Science* 261, 209-211.