

CAPÍTULO VI

REFERENCIAS

REFERENCIAS

Adamo, K. B., and Graham, T. E. (1998): Comparison of traditional measurements with macroglycogen and proglycogen analysis of muscle glycogen. *J Appl Physiol* 84, 908-13.

Aebi, H. (1984): Catalase in vitro. *Methods Enzymol* 105, 121-6.

Akahoshi, A., Goto, Y., Murao, K., Miyazaki, T., Yamasaki, M., Nonaka, M., Yamada, K., and Sugano, M. (2002): Conjugated linoleic acid reduces body fats and cytokine levels of mice. *Biosci Biotechnol Biochem* 66, 916-20.

Alasnier, C., Berdeaux, O., Chardigny, J. M., and Sebedio, J. L. (2002): Fatty acid composition and conjugated linoleic acid content of different tissues in rats fed individual conjugated linoleic acid isomers given as triacylglycerols small star, filled. *J Nutr Biochem* 13, 337-345.

Allison, D.B. y otros (1995): Trans fatty acids and coronary heart disease risk. Report of the expert panel on trans fatty acids and coronary heart disease. *Am J Clin Nutr* 62, 655S-708S.

Arab, K., Rossary, A., Soulere, L., and Steghens, J. P. (2006): Conjugated linoleic acid, unlike other unsaturated fatty acids, strongly induces glutathione synthesis without any lipoperoxidation. *Br J Nutr* 96, 811-9.

Aro, A., Mannisto, S., Salminen, I., Ovaskainen, M. L., Kataja, V., and Uusitupa, M. (2000): Inverse association between dietary and serum conjugated linoleic acid and risk of breast cancer in postmenopausal women. *Nutr Cancer* 38, 151-7.

Azain, M. J., Hausman, D. B., Sisk, M. B., Flatt, W. P., and Jewell, D. E. (2000): Dietary conjugated linoleic acid reduces rat adipose tissue cell size rather than cell number. *J Nutr* 130, 1548-54.

Banni, S., Angioni, E., Casu, V., Melis, M. P., Carta, G., Corongiu, F. P., Thompson, H., and Ip, C. (1999): Decrease in linoleic acid metabolites as a potential mechanism in cancer risk reduction by conjugated linoleic acid. *Carcinogenesis* 20, 1019-24.

Banni, S., Petroni, A., Blasevich, M., Carta, G., Cordeddu, L., Murru, E., Melis, M. P., Mahon, A., and Belury, M. A. (2004): Conjugated linoleic acids (CLA) as precursors of a distinct family of PUFA. *Lipids* 39, 1143-6.

Bauman, D. E., Barbano, D. M., Dwyer, D. A., and Griinari, J. M. (2000): Technical note: production of butter with enhanced conjugated linoleic acid for use in biomedical studies with animal models. *J Dairy Sci* 83, 2422-5.

Bell, R. R., Spencer, M. J., and Sherriff, J. L. (1995): Diet-induced obesity in mice can be treated without energy restriction using exercise and/or a low fat diet. *J Nutr* 125, 2356-63.

Belury, M. A., and Kempa-Steczko, A. (1997): Conjugated linoleic acid modulates hepatic lipid composition in mice. *Lipids* 32, 199-204.

Bergamo, P., Luongo, D., and Rossi, M. (2004): Conjugated linoleic acid-mediated apoptosis in Jurkat T cells involves the production of reactive oxygen species. *Cell Physiol Biochem* 14, 57-64.

Bernal, C. A., Rovira, J., Colandre, M. E., Cusso, R., and Cadefau, J. A. (2006): Effects of dietary cis and trans unsaturated and saturated fatty acids on the glucose metabolites and enzymes of rats. *Br J Nutr* 95, 947-54.

Bernal, C., Basilio, M.Z., Gutman, R. and Lombardo, Y.B. (1989): Secretion and removal rates of very low density lipoprotein triglycerides at three metabolic periods of hypertriglyceridemia induced by a sucrose rich diet. *Nutrition Reports International* 46, 71-83.

Bernas, A., Kumar, N., Maki-Arvela, P., Kul'kova, N.V., Holmbom, B., Salmi, T., Murzin, D.Y. (2003): Isomerization of linoleic acid over supported metal catalysts. *Appl. Catalysis A-General* 245, 257-275.

Bhattacharya, A., Rahman, M. M., McCarter, R., O'Shea, M., and Fernandes, G. (2006): Conjugated linoleic acid and chromium lower body weight and visceral fat mass in high-fat-diet-fed mice. *Lipids* 41, 437-44.

Bhattacharya, A., Rahman, M. M., Sun, D., Lawrence, R., Mejia, W., McCarter, R., O'Shea, M., and Fernandes, G. (2005): The combination of dietary conjugated linoleic acid and treadmill exercise lowers gain in body fat mass and enhances lean body mass in high fat-fed male Balb/C mice. *J Nutr* 135, 1124-30.

Blanchard, J., Steiger, E., O'Neil, M., Naito, H., Sebeck, B., and Shamberger, R. J. (1979): Effect of protein depletion and repletion on liver structures, nitrogen content and serum proteins. *Ann Surg* 190, 144-50.

Blankson, H., Stakkestad, J. A., Fagertun, H., Thom, E., Wadstein, J., and Gudmundsen, O. (2000): Conjugated linoleic acid reduces body fat mass in overweight and obese humans. *J Nutr* 130, 2943-8.

Blesbois, E., Lessire, M., Grasseau, I., Hallouis, J. M., and Hermier, D. (1997): Effect of dietary fat on the fatty acid composition and fertilizing ability of fowl semen. *Biol Reprod* 56, 1216-20.

Boisclair, Y. R., Bell, A. W., Dunshea, F. R., Harkins, M., and Bauman, D. E. (1993): Evaluation of the arteriovenous difference technique to simultaneously estimate protein synthesis and degradation in the hindlimb of fed and chronically underfed steers. *J Nutr* 123, 1076-88.

Boualga, A., Bouchenak, M., and Belleville, J. (2000): Low-protein diet prevents tissue lipoprotein lipase activity increase in growing rats. *Br J Nutr* 84, 663-71.

Bouziane, M., Prost, J., and Belleville, J. (1992): Changes in serum and lipoprotein fatty acids of growing rats fed protein-deficient diets with low or adequate linolenic acid concentrations. *J Nutr* 122, 2037-46.

Bouziane, M., Prost, J., and Belleville, J. (1994): Changes in fatty acid compositions of total serum and lipoprotein particles, in growing rats given

protein-deficient diets with either hydrogenated coconut or salmon oils as fat sources. *Br J Nutr* 71, 375-87.

Bretillon, L., Chardigny, J. M., Gregoire, S., Berdeaux, O., and Sebedio, J. L. (1999): Effects of conjugated linoleic acid isomers on the hepatic microsomal desaturation activities in vitro. *Lipids* 34, 965-9.

Brinkman, K., ter Hofstede, H. J., Burger, D. M., Smeitink, J. A., and Koopmans, P. P. (1998): Adverse effects of reverse transcriptase inhibitors: mitochondrial toxicity as common pathway. *Aids* 12, 1735-44.

Brodie, A. E., Manning, V. A., Ferguson, K. R., Jewell, D. E., and Hu, C. Y. (1999): Conjugated linoleic acid inhibits differentiation of pre- and post-confluent 3T3-L1 preadipocytes but inhibits cell proliferation only in preconfluent cells. *J Nutr* 129, 602-6.

Brown, J. M., Boysen, M. S., Chung, S., Fabiyi, O., Morrison, R. F., Mandrup, S., and McIntosh, M. K. (2004): Conjugated linoleic acid induces human adipocyte delipidation: autocrine/paracrine regulation of MEK/ERK signaling by adipocytokines. *J Biol Chem* 279, 26735-47.

Brown, J. M., Boysen, M. S., Jensen, S. S., Morrison, R. F., Storkson, J., Lea-Currie, R., Pariza, M., Mandrup, S., and McIntosh, M. K. (2003): Isomer-specific regulation of metabolism and PPAR γ signaling by CLA in human preadipocytes. *J Lipid Res* 44, 1287-300.

Butz, D. E., Li, G., and Cook, M. E. (2006): t10,c12 Conjugated linoleic acid induces compensatory growth after immune challenge. *J Nutr Biochem* 17, 735-41.

Canolty, N. L., and Koong, L. J. (1976): Utilization of energy for maintenance and for fat and lean gains by mice selected for rapid postweaning growth rate. *J Nutr* 106, 1202-8.

Chan, D. C., Barrett, H. P., and Watts, G. F. (2004): Dyslipidemia in visceral obesity: mechanisms, implications, and therapy. *Am J Cardiovasc Drugs* 4, 227-46.

Changhua, L., Jindong, Y., Defa, L., Lidan, Z., Shiyan, Q., and Jianjun, X. (2005): Conjugated linoleic acid attenuates the production and gene expression of proinflammatory cytokines in weaned pigs challenged with lipopolysaccharide. *J Nutr* 135, 239-44.

Chaouat, G., Zourbas, S., Ostojic, S., Lappree-Delage, G., Dubanchet, S., Ledee, N., and Martal, J. (2002): A brief review of recent data on some cytokine expressions at the materno-foetal interface which might challenge the classical Th1/Th2 dichotomy. *J Reprod Immunol* 53, 241-56.

Chin, S. F., Liu, W., Storkson, J.M., Ha, Y.L., Pariza, M.W. (1992): Dietary sources of conjugated dienoic isomers of linoleic acid, a newly recognized class of anticarcinogens. *J. Food Compos. Anal.* 5, 185-197.

Chin, S. F., Storkson, J. M., Albright, K. J., Cook, M. E., and Pariza, M. W. (1994): Conjugated linoleic acid is a growth factor for rats as shown by enhanced weight gain and improved feed efficiency. *J Nutr* 124, 2344-9.

Cho, H. J., Kim, W. K., Jung, J. I., Kim, E. J., Lim, S. S., Kwon, D. Y., and Park, J. H. (2005): Trans-10,cis-12, not cis-9,trans-11, conjugated linoleic acid decreases ErbB3 expression in HT-29 human colon cancer cells. *World J Gastroenterol* 11, 5142-50.

Choi, J. S., Jung, M. H., Park, H. S., and Song, J. (2004): Effect of conjugated linoleic acid isomers on insulin resistance and mRNA levels of genes regulating energy metabolism in high-fat-fed rats. *Nutrition* 20, 1008-17.

Choi, J. S., Koh, I. U., Jung, M. H., and Song, J. (2007): Effects of three different conjugated linoleic acid preparations on insulin signalling, fat oxidation and mitochondrial function in rats fed a high-fat diet. *Br J Nutr* 98, 264-75.

Chujo, H., Yamasaki, M., Nou, S., Koyanagi, N., Tachibana, H., and Yamada, K. (2003): Effect of conjugated linoleic acid isomers on growth factor-induced proliferation of human breast cancer cells. *Cancer Lett* 202, 81-7.

Clement, L., Poirier, H., Niot, I., Bocher, V., Guerre-Millo, M., Krief, S., Staels, B., and Besnard, P. (2002): Dietary trans-10,cis-12 conjugated linoleic acid induces hyperinsulinemia and fatty liver in the mouse. *J Lipid Res* 43, 1400-9.

Cook, M. E. (1998): Controlling immune-induced wasting through dietary manipulation: the role of conjugated linoleic acid. *Proc. Am. Assoc. Swine Practitioners Annual Meeting*, 219–222.

Cook, M. E., Miller, C. C., Park, Y., and Pariza, M. (1993): Immune modulation by altered nutrient metabolism: nutritional control of immune-induced growth depression. *Poult Sci* 72, 1301-5.

Corino, C., Mourot, J., Magni, S., Pastorelli, G., and Rosi, F. (2002): Influence of dietary conjugated linoleic acid on growth, meat quality, lipogenesis, plasma leptin and physiological variables of lipid metabolism in rabbits. *J Anim Sci* 80, 1020-8.

Cunniff, P. (editor) (1999): *Official Methods of Analysis of Association of Official Agricultural Chemists 16th Ed., 5th Revision* (Maryland, USA: AOAC International).

Dardevet, D., Manin, M., Balage, M., Sornet, C., and Grizard, J. (1991): Influence of low- and high-protein diets on insulin and insulin-like growth factor-1 binding to skeletal muscle and liver in the growing rat. *Br J Nutr* 65, 47-60.

de Deckere, E. A. M., van Amelsvoort, J.M.M., McNeill, G.P., Jones, P. (1999): Effects of conjugated linoleic acid (CLA) isomers on lipid levels and peroxisome proliferation in the hamster. *Br. J. Nutr* 82, 309–317.

de Pablo, M. A., Angeles Puertollano, M., and Alvarez de Cienfuegos, G. (2000): Immune cell functions, lipids and host natural resistance. *FEMS Immunol Med Microbiol* 29, 323-8.

Degrace, P., Demizieux, L., Gresti, J., Chardigny, J. M., Sebedio, J. L., and Clouet, P. (2003): Association of liver steatosis with lipid oversecretion and

hypotriglyceridaemia in C57BL/6j mice fed trans-10,cis-12-linoleic acid. *FEBS Lett* 546, 335-9.

Degrace, P., Demizieux, L., Gresti, J., Chardigny, J. M., Sebedio, J. L., and Clouet, P. (2004): Hepatic steatosis is not due to impaired fatty acid oxidation capacities in C57BL/6J mice fed the conjugated trans-10,cis-12-isomer of linoleic acid. *J Nutr* 134, 861-7.

DeLany, J. P., and West, D. B. (2000): Changes in body composition with conjugated linoleic acid. *J Am Coll Nutr* 19, 487S-493S.

DeLany, J. P., Blohm, F., Truett, A. A., Scimeca, J. A., and West, D. B. (1999): Conjugated linoleic acid rapidly reduces body fat content in mice without affecting energy intake. *Am J Physiol* 276, R1172-9.

Desroches, S., Chouinard, P. Y., Galibois, I., Corneau, L., Delisle, J., Lamarche, B., Couture, P., and Bergeron, N. (2005): Lack of effect of dietary conjugated linoleic acids naturally incorporated into butter on the lipid profile and body composition of overweight and obese men. *Am J Clin Nutr* 82, 309-19.

Devery, R., Miller, A., and Stanton, C. (2001): Conjugated linoleic acid and oxidative behaviour in cancer cells. *Biochem Soc Trans* 29, 341-4.

Ding, S. T., McNeel, R. L., and Mersmann, H. J. (2002): Modulation of adipocyte determination and differentiation-dependent factor 1 by selected polyunsaturated fatty acids. *In Vitro Cell Dev Biol Anim* 38, 352-7.

Du, F., Higginbotham, D. A., and White, B. D. (2000): Food intake, energy balance and serum leptin concentrations in rats fed low-protein diets. *J Nutr* 130, 514-21.

Dugan, M. E. R., Aalhus, J.L., Schaefer, A.L., Kramer, J.K.G. (1997): The effect of conjugated linoleic acid on fat to lean repartitioning and feed conversion in pigs. *Can. J. Anim. Sci.* 77, 723-725.

Dulloo, A. G., and Girardier, L. (1990): Adaptive changes in energy expenditure during refeeding following low-calorie intake: evidence for a specific metabolic component favoring fat storage. *Am J Clin Nutr* 52, 415-20.

Dulloo, A. G., and Girardier, L. (1992): Influence of dietary composition on energy expenditure during recovery of body weight in the rat: implications for catch-up growth and obesity relapse. *Metabolism* 41, 1336-42.

Eckel, R. H., Grundy, S. M., and Zimmet, P. Z. (2005): The metabolic syndrome. *Lancet* 365, 1415-28.

Ellman, G., and Lysko, H. (1979): A precise method for the determination of whole blood and plasma sulfhydryl groups. *Anal Biochem* 93, 98-102.

Evans, M., Brown, J., and McIntosh, M. (2002): Isomer-specific effects of conjugated linoleic acid (CLA) on adiposity and lipid metabolism. *J Nutr Biochem* 13, 508.

Evans, M., Geigerman, C., Cook, J., Curtis, L., Kuebler, B., and McIntosh, M. (2000): Conjugated linoleic acid suppresses triglyceride accumulation and induces apoptosis in 3T3-L1 preadipocytes. *Lipids* 35, 899-910.

Evans, M., Park, Y., Pariza, M., Curtis, L., Kuebler, B., and McIntosh, M. (2001): Trans-10,cis-12 conjugated linoleic acid reduces triglyceride content while differentially affecting peroxisome proliferator activated receptor gamma2 and aP2 expression in 3T3-L1 preadipocytes. *Lipids* 36, 1223-32.

Even, P. C., Bertin, E., Gangnerau, M. N., Roseau, S., Tome, D., and Portha, B. (2003): Energy restriction with protein restriction increases basal metabolism and meal-induced thermogenesis in rats. *Am J Physiol Regul Integr Comp Physiol* 284, R751-9.

Eyjolfson, V., Spriet, L. L., and Dyck, D. J. (2004): Conjugated linoleic acid improves insulin sensitivity in young, sedentary humans. *Med Sci Sports Exerc* 36, 814-20.

Faulconnier, Y., Arnal, M. A., Patureau Mirand, P., Chardigny, J. M., and Chilliard, Y. (2004): Isomers of conjugated linoleic acid decrease plasma lipids and stimulate adipose tissue lipogenesis without changing adipose weight in post-prandial adult sedentary or trained Wistar rat. *J Nutr Biochem* 15, 741-8.

Ferramosca, A., Savy, V., Conte, L., Colombo, S., Einerhand, A. W., and Zara, V. (2006): Conjugated linoleic acid and hepatic lipogenesis in mouse: role of the mitochondrial citrate carrier. *J Lipid Res* 47, 1994-2003.

Ferreira, C. L., Macedo, G. M., Latorraca, M. Q., Arantes, V. C., Veloso, R. V., Carneiro, E. M., Boschero, A. C., Nascimento, C. M., and Gaiva, M. H. (2007): Serum leptin and insulin levels in lactating protein-restricted rats: implications for energy balance. *Br J Nutr* 97, 27-34.

Gaullier, J. M., Halse, J., Hoye, K., Kristiansen, K., Fagertun, H., Vik, H., and Gudmundsen, O. (2004): Conjugated linoleic acid supplementation for 1 y reduces body fat mass in healthy overweight humans. *Am J Clin Nutr* 79, 1118-25.

Gaullier, J. M., Halse, J., Hoye, K., Kristiansen, K., Fagertun, H., Vik, H., and Gudmundsen, O. (2005): Supplementation with conjugated linoleic acid for 24 months is well tolerated by and reduces body fat mass in healthy, overweight humans. *J Nutr* 135, 778-84.

Gavino, V. C., Gavino, G., Leblanc, M. J., and Tuchweber, B. (2000): An isomeric mixture of conjugated linoleic acids but not pure cis-9, trans-11-octadecadienoic acid affects body weight gain and plasma lipids in hamsters. *J Nutr* 130, 27-9.

Gavrilova, O., Haluzik, M., Matsusue, K., Cutson, J. J., Johnson, L., Dietz, K. R., Nicol, C. J., Vinson, C., Gonzalez, F. J., and Reitman, M. L. (2003): Liver peroxisome proliferator-activated receptor gamma contributes to hepatic steatosis, triglyceride clearance, and regulation of body fat mass. *J Biol Chem* 278, 34268-76.

Giudetti, A. M., Beynen, A. C., Lemmens, A. G., Gnoni, G. V., and Geelen, M. J. (2005): Hepatic lipid and carbohydrate metabolism in rats fed a commercial mixture of conjugated linoleic acids (Clarinol G-80). *Eur J Nutr* 44, 33-9.

Golden, M. H., and Ramdath, D. (1987): Free radicals in the pathogenesis of kwashiorkor. *Proc Nutr Soc* 46, 53-68.

Gomes, M., Oliveira Pires, I., Castro, I., Tirapegui, J. (2003): Effect of protein restriction on plasma and tissue levels of insulin-like growth factor-1 (IGF-1) in adult rats. *Nutr Res* 23, 1239–50.

Goodwin, J. S., and Ceuppens, J. (1983): Regulation of the immune response by prostaglandins. *J Clin Immunol* 3, 295-315.

Gosby, A. K., Maloney, C. A., Phuyal, J. L., Denyer, G. S., Bryson, J. M., and Caterson, I. D. (2003): Maternal protein restriction increases hepatic glycogen storage in young rats. *Pediatr Res* 54, 413-8.

Gouache, P., Le Moullac, B., Bleiberg-Daniel, F., Aubert, R., and Flament, C. (1991): Changes in rat plasma apolipoproteins and lipoproteins during moderate protein deficiency: potential use in the assessment of nutritional status. *J Nutr* 121, 653-62.

Granlund, L., Pedersen, J. I., and Nebb, H. I. (2005): Impaired lipid accumulation by trans10, cis12 CLA during adipocyte differentiation is dependent on timing and length of treatment. *Biochim Biophys Acta* 1687, 11-22.

Grantham-McGregor, S. (1995): A review of studies of the effect of severe malnutrition on mental development. *J Nutr* 125, 2233S-2238S.

Grattagliano, I., Caraceni, P., Portincasa, P., Domenicali, M., Palmieri, V. O., Trevisani, F., Bernardi, M., and Palasciano, G. (2003): Adaptation of subcellular glutathione detoxification system to stress conditions in choline-deficient diet induced rat fatty liver. *Cell Biol Toxicol* 19, 355-66.

Ha, Y. L., Grimm, N. K., and Pariza, M. W. (1987): Anticarcinogens from fried ground beef: heat-altered derivatives of linoleic acid. *Carcinogenesis* 8, 1881-7.

Hargrave, K. M., Li, C., Meyer, B. J., Kachman, S. D., Hartzell, D. L., Della-Fera, M. A., Miner, J. L., and Baile, C. A. (2002): Adipose depletion and apoptosis induced by trans-10, cis-12 conjugated linoleic Acid in mice. *Obes Res* 10, 1284-90.

Haugaard, S. B. (2006): Toxic metabolic syndrome associated with HAART. *Expert Opin Drug Metab Toxicol* 2, 429-45.

Henriksen, E. J., Teachey, M. K., Taylor, Z. C., Jacob, S., Ptock, A., Kramer, K., and Hasselwander, O. (2003): Isomer-specific actions of conjugated linoleic acid on muscle glucose transport in the obese Zucker rat. *Am J Physiol Endocrinol Metab* 285, E98-E105.

Hollifield, R. D., Harbige, L. S., Pham-Dinh, D., and Sharief, M. K. (2003): Evidence for cytokine dysregulation in multiple sclerosis: peripheral blood mononuclear cell production of pro-inflammatory and anti-inflammatory cytokines during relapse and remission. *Autoimmunity* 36, 133-41.

Holness, M. J., Langdown, M. L., and Sugden, M. C. (2000): Early-life programming of susceptibility to dysregulation of glucose metabolism and the development of Type 2 diabetes mellitus. *Biochem J* 349 Pt 3, 657-65.

Houseknecht, K. L., Bauman, D. E., Fox, D. G., and Smith, D. F. (1992): Abomasal infusion of casein enhances nitrogen retention in somatotropin-treated steers. *J Nutr* 122, 1717-25.

Houseknecht, K. L., Vanden Heuvel, J. P., Moya-Camarena, S. Y., Portocarrero, C. P., Peck, L. W., Nickel, K. P., and Belury, M. A. (1998): Dietary conjugated linoleic acid normalizes impaired glucose tolerance in the Zucker diabetic fatty fa/fa rat. *Biochem Biophys Res Commun* 244, 678-82.

Hwang, Y. H., and Kang, K. J. (2007): Conjugated linoleic acid reduces adipose depots without reduction of stearoyl coenzyme A desaturase 1 gene expression. *Ann Nutr Metab* 51, 126-33.

Ide, T. (2005): Interaction of fish oil and conjugated linoleic acid in affecting hepatic activity of lipogenic enzymes and gene expression in liver and adipose tissue. *Diabetes* 54, 412-23.

Inoue, N., Nagao, K., Wang, Y. M., Noguchi, H., Shirouchi, B., and Yanagita, T. (2006): Dietary conjugated linoleic acid lowered tumor necrosis factor-alpha content and altered expression of genes related to lipid metabolism and insulin sensitivity in the skeletal muscle of Zucker rats. *J Agric Food Chem* 54, 7935-9.

Ip, C., Jiang, C., Thompson, H. J., and Scimeca, J. A. (1997): Retention of conjugated linoleic acid in the mammary gland is associated with tumor inhibition during the post-initiation phase of carcinogenesis. *Carcinogenesis* 18, 755-9.

Javadi, M., Beynen, A. C., Hovenier, R., Lankhorst, A., Lemmens, A. G., Terpstra, A. H., and Geelen, M. J. (2004): Prolonged feeding of mice with conjugated linoleic acid increases hepatic fatty acid synthesis relative to oxidation. *J Nutr Biochem* 15, 680-7.

Javadi, M., Geelen, M. J., Everts, H., Lemmens, A. G., and Beynen, A. C. (2007): Body composition and selected blood parameters in mice fed a combination of fibre and conjugated linoleic acid. *J Anim Physiol Anim Nutr (Berl)* 91, 492-7.

Jeffs, B., Ito, M., Yu, R. N., Martinson, F. A., Wang, Z. J., Doglio, L. T., and Jameson, J. L. (2001): Sertoli cell-specific rescue of fertility, but not testicular pathology, in *Dax1* (*Ahch*)-deficient male mice. *Endocrinology* 142, 2481-8.

Jeszka, J., Grav, H. J., Holm, H., Hustvedt, B. E., Lovo, A., and Ueland, O. (1991): Opposite effect of cold on energetic efficiency in normal and obese Wistar rats with hypothalamic lesions. *J Nutr* 121, 386-94.

Jump, D. B., Clarke, S. D., Thelen, A., Liimatta, M., Ren, B., and Badin, M. V. (1997): Dietary fat, genes, and human health. *Adv Exp Med Biol* 422, 167-76.

Kang, K., Liu, W., Albright, K. J., Park, Y., and Pariza, M. W. (2003): trans-10,cis-12 CLA inhibits differentiation of 3T3-L1 adipocytes and decreases PPAR gamma expression. *Biochem Biophys Res Commun* 303, 795-9.

Kern, M., Beuttenmuller, D., Diehl, S., McCormick, C., Ambrose, M. (2002): The effects of protein repletion at varied levels on the growth and nutritional status of protein restricted rats. *Nutr Res* 22, 957-63.

Kim, H. K., Kim, S. R., Ahn, J. Y., Cho, I. J., Yoon, C. S., and Ha, T. Y. (2005): Dietary conjugated linoleic acid reduces lipid peroxidation by increasing oxidative stability in rats. *J Nutr Sci Vitaminol (Tokyo)* 51, 8-15.

Kim, M. R., Park, Y., Albright, K.J., Pariza, M.W. (2002): Differential responses of hamsters and rats fed high-fat or low-fat diets supplemented with conjugated linoleic acid. . *Nutr. Res.* 22, 715–722.

Kim, M., Park, Y., Albright, K., Pariza, M. (2002): Differential responses of hamsters and rats fed high-fat or low-fat diets supplemented with conjugated linoleic acid. . *Nutr Res* 22, 715–22.

Kim, Y. G., Kim, S. K., Kwon, J. W., Park, O. J., Kim, S. G., Kim, Y. C., and Lee, M. G. (2003): Effects of cysteine on amino acid concentrations and transsulfuration enzyme activities in rat liver with protein-calorie malnutrition. *Life Sci* 72, 1171-81.

Kloss, R., Linscheid, J., Johnson, A., Lawson, B., Edwards, K., Linder, T., Stocker, K., Petite, J., and Kern, M. (2005): Effects of conjugated linoleic acid supplementation on blood lipids and adiposity of rats fed diets rich in saturated versus unsaturated fat. *Pharmacol Res* 51, 503-7.

Kota, B. P., Huang, T. H., and Roufogalis, B. D. (2005): An overview on biological mechanisms of PPARs. *Pharmacol Res* 51, 85-94.

Kramer, J. K., Sehat, N., Dugan, M. E., Mossoba, M. M., Yurawecz, M. P., Roach, J. A., Eulitz, K., Aalhus, J. L., Schaefer, A. L., and Ku, Y. (1998): Distributions of conjugated linoleic acid (CLA) isomers in tissue lipid classes of pigs fed a commercial CLA mixture determined by gas chromatography and silver ion-high-performance liquid chromatography. *Lipids* 33, 549-58.

Kritchevsky, D., Tepper, S. A., Wright, S., Czarnecki, S. K., Wilson, T. A., and Nicolosi, R. J. (2004): Conjugated linoleic acid isomer effects in atherosclerosis: growth and regression of lesions. *Lipids* 39, 611-6.

Lai, C., Yin, J., Li, D., Zhao, L., and Chen, X. (2005): Effects of dietary conjugated linoleic acid supplementation on performance and immune function of weaned pigs. *Arch Anim Nutr* 59, 41-51.

Larsen, T. M., Toubro, S., and Astrup, A. (2003): Efficacy and safety of dietary supplements containing CLA for the treatment of obesity: evidence from animal and human studies. *J Lipid Res* 44, 2234-41.

Larsson, S. C., Bergkvist, L., and Wolk, A. (2005): High-fat dairy food and conjugated linoleic acid intakes in relation to colorectal cancer incidence in the Swedish Mammography Cohort. *Am J Clin Nutr* 82, 894-900.

Lee, J. H., Cho, K. H., Lee, K. T., and Kim, M. R. (2005): Antiatherogenic effects of structured lipid containing conjugated linoleic acid in C57BL/6J mice. *J Agric Food Chem* 53, 7295-301.

Lee, K. N., Kritchevsky, D., and Pariza, M. W. (1994): Conjugated linoleic acid and atherosclerosis in rabbits. *Atherosclerosis* 108, 19-25.

Lifshitz, F., Hawkins, R. L., Diaz-Bensussen, S., and Wapnir, R. A. (1972): Absorption of carbohydrates in malnourished rats. *J Nutr* 102, 1303-10.

Lin, C. C., and Yin, M. C. (2008): Effects of cysteine-containing compounds on biosynthesis of triacylglycerol and cholesterol and anti-oxidative protection in liver from mice consuming a high-fat diet. *Br J Nutr* 99, 37-43.

Lin, Y., Schuurbiens, E., Van der Veen, S., and De Deckere, E. A. (2001): Conjugated linoleic acid isomers have differential effects on triglyceride secretion in Hep G2 cells. *Biochim Biophys Acta* 1533, 38-46.

Liu, L. F., Purushotham, A., Wendel, A. A., and Belury, M. A. (2007): Combined effects of rosiglitazone and conjugated linoleic acid on adiposity, insulin sensitivity, and hepatic steatosis in high-fat-fed mice. *Am J Physiol Gastrointest Liver Physiol* 292, G1671-82.

Livisay, S. A., Zhou, S., Ip, C., and Decker, E. A. (2000): Impact of dietary conjugated linoleic acid on the oxidative stability of rat liver microsomes and skeletal muscle homogenates. *J Agric Food Chem* 48, 4162-7.

Lowry O., Passonneau J. (1972). *A flexible system of enzymatic analysis*, Academic Press: New York – London.

Lowry, O. H., Rosebrough, N. J., Farr, A. L., and Randall, R. J. (1951): Protein measurement with the Folin phenol reagent. *J Biol Chem* 193, 265-75.

Lutz, O., Lave, T., Frey, A., Meraihi, Z., and Bach, A. C. (1989): Activities of lipoprotein lipase and hepatic lipase on long- and medium-chain triglyceride emulsions used in parenteral nutrition. *Metabolism* 38, 507-13.

Lyall, F., Simpson, H., Bulmer, J. N., Barber, A., and Robson, S. C. (2001): Transforming growth factor-beta expression in human placenta and placental bed in third trimester normal pregnancy, preeclampsia, and fetal growth restriction. *Am J Pathol* 159, 1827-38.

Ma, D. W., Wierzbicki, A. A., Field, C. J., and Clandinin, M. T. (1999): Conjugated linoleic acid in canadian dairy and beef products. *J Agric Food Chem* 47, 1956-60.

Macarulla, M. T., Fernandez-Quintela, A., Zabala, A., Navarro, V., Echevarria, E., Churrua, I., Rodriguez, V. M., and Portillo, M. P. (2005): Effects of conjugated linoleic acid on liver composition and fatty acid oxidation are isomer-dependent in hamster. *Nutrition* 21, 512-9.

Margni, R. A. (1999): [Participation of transcriptional factors in the regulation of lymphocyte differentiation]. *Medicina (B Aires)* 59, 491-5.

Martin, J. C., Gregoire, S., Siess, M. H., Genty, M., Chardigny, J. M., Berdeaux, O., Juaneda, P., and Sebedio, J. L. (2000): Effects of conjugated linoleic acid isomers on lipid-metabolizing enzymes in male rats. *Lipids* 35, 91-8.

Martins, S. V., Lopes, P. A., Alfaia, C. M., Ribeiro, V. S., Guerreiro, T. V., Fontes, C. M., Castro, M. F., Soveral, G., and Prates, J. A. (2007): Contents of conjugated linoleic acid isomers in ruminant-derived foods and estimation of their contribution to daily intake in Portugal. *Br J Nutr* 98, 1206-13.

McNeel, R. L., Smith, E.O., Mersmann, H.J. (2003): Isomers of conjugated linoleic acid modulate human preadipocyte differentiation. . *In Vitro Cell Dev. Biol. Anim.* 39, 375-382.

Meghelli-Bouchenak, M., Belleville, J., and Boquillon, M. (1989): Hepatic steatosis and serum very low density lipoproteins during two types of protein malnutrition followed by balanced refeeding. *Nutrition* 5, 321-9.

Mehta, K., Van Thiel, D. H., Shah, N., and Mobarhan, S. (2002): Nonalcoholic fatty liver disease: pathogenesis and the role of antioxidants. *Nutr Rev* 60, 289-93.

Miller, C. C., Park, Y., Pariza, M. W., and Cook, M. E. (1994): Feeding conjugated linoleic acid to animals partially overcomes catabolic responses due to endotoxin injection. *Biochem Biophys Res Commun* 198, 1107-12.

Miller, J. R., Siripurkpong, P., Hawes, J., Majdalawieh, A., Ro, H. S., and McLeod, R. S. (2007): The trans-10, cis-12 Isomer of conjugated linoleic acid decreases adiponectin assembly by PPARgamma -dependent and PPARgamma - independent mechanisms. *J Lipid Res.*

Mirand, P. P., Arnal-Bagnard, M. A., Mosoni, L., Faulconnier, Y., Chardigny, J. M., and Chilliard, Y. (2004): Cis-9, trans-11 and trans-10, cis-12

conjugated linoleic acid isomers do not modify body composition in adult sedentary or exercised rats. *J Nutr* 134, 2263-9.

Moya-Camarena, S. Y., and Belury, M. A. (1999): Species differences in the metabolism and regulation of gene expression by conjugated linoleic acid. *Nutr Rev* 57, 336-40.

Moya-Camarena, S. Y., Vanden Heuvel, J. P., Blanchard, S. G., Leesnitzer, L. A., and Belury, M. A. (1999): Conjugated linoleic acid is a potent naturally occurring ligand and activator of PPARalpha. *J Lipid Res* 40, 1426-33.

Mozaffarian, D., Abdollahi, M., Campos, H., Houshiarrad, A., Willett, W.C. (2007): Consumption of trans fats and estimated effects on coronary heart disease in Iran. *Eur J Clin Nutr* 61, 1004-1010.

Muzio, G., Maggiora, M., Oraldi, M., Trombetta, A., and Canuto, R. A. (2007): PPARalpha and PP2A are involved in the proapoptotic effect of conjugated linoleic acid on human hepatoma cell line SK-HEP-1. *Int J Cancer* 121, 2395-401.

Nagao, K., Inoue, N., Wang, Y. M., and Yanagita, T. (2003): Conjugated linoleic acid enhances plasma adiponectin level and alleviates hyperinsulinemia and hypertension in Zucker diabetic fatty (fa/fa) rats. *Biochem Biophys Res Commun* 310, 562-6.

Nakanishi, T., Oikawa, D., Koutoku, T., Hirakawa, H., Kido, Y., Tachibana, T., and Furuse, M. (2004): Gamma-linolenic acid prevents conjugated linoleic acid-induced fatty liver in mice. *Nutrition* 20, 390-3.

Natarajan, S. K., Eapen, C. E., Pullimood, A. B., and Balasubramanian, K. A. (2006): Oxidative stress in experimental liver microvesicular steatosis: role of mitochondria and peroxisomes. *J Gastroenterol Hepatol* 21, 1240-9.

Navarro, V., Macarulla, M. T., Chavarri, M., Fernandez-Quintela, A., Rodriguez, V. M., and Puy Portillo, M. (2005): [Conjugated linoleic acid lowers

hypercholesterolemia but increases the risk for biliary lithiasis]. *Nutr Hosp* 20, 223-7.

Nicolosi, R. J., Rogers, E.J., Kritchevsky, D., Scimeca, J.A., Huth, P.J. (1997): Dietary conjugated linoleic acid reduces plasma lipoproteins and early aortic atherosclerosis in hypercholesterolemic hamsters. *Artery* 22, 266-277.

Nilsson-Ehle, P., and Schotz, M. C. (1976): A stable, radioactive substrate emulsion for assay of lipoprotein lipase. *J Lipid Res* 17, 536-41.

Noone, E. J., Roche, H. M., Nugent, A. P., and Gibney, M. J. (2002): The effect of dietary supplementation using isomeric blends of conjugated linoleic acid on lipid metabolism in healthy human subjects. *Br J Nutr* 88, 243-51.

Noto, A., Zahradka, P., Ryz, N. R., Yurkova, N., Xie, X., and Taylor, C. G. (2007): Dietary conjugated linoleic acid preserves pancreatic function and reduces inflammatory markers in obese, insulin-resistant rats. *Metabolism* 56, 142-51.

Noto, A., Zahradka, P., Yurkova, N., Xie, X., Truong, H., Nitschmann, E., Ogborn, M. R., and Taylor, C. G. (2007): Dietary conjugated linoleic acid decreases adipocyte size and favorably modifies adipokine status and insulin sensitivity in obese, insulin-resistant rats. *Metabolism* 56, 1601-11.

O'Hagan, S., and Menzel, A. (2003): A subchronic 90-day oral rat toxicity study and in vitro genotoxicity studies with a conjugated linoleic acid product. *Food Chem Toxicol* 41, 1749-60.

Ohashi, A., Matsushita, Y., Kimura, K., Miyashita, K., and Saito, M. (2004): Conjugated linoleic acid deteriorates insulin resistance in obese/diabetic mice in association with decreased production of adiponectin and leptin. *J Nutr Sci Vitaminol (Tokyo)* 50, 416-21.

Ohkawa, H., Ohishi, N., and Yagi, K. (1979): Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction. *Anal Biochem* 95, 351-8.

Ohnuki, K., Haramizu, S., Ishihara, K., and Fushiki, T. (2001): Increased energy metabolism and suppressed body fat accumulation in mice by a low concentration of conjugated linoleic acid. *Biosci Biotechnol Biochem* 65, 2200-4.

Okitolonda, W., Brichard, S. M., Pottier, A. M., and Henquin, J. C. (1988): Influence of low- and high-protein diets on glucose homeostasis in the rat. *Br J Nutr* 60, 509-16.

Ostrowska, E., Muralitharan, M., Cross, R. F., Bauman, D. E., and Dunshea, F. R. (1999): Dietary conjugated linoleic acids increase lean tissue and decrease fat deposition in growing pigs. *J Nutr* 129, 2037-42.

Otway, S., and Robinson, D. S. (1967): The use of a non-ionic detergent (Triton WR 1339) to determine rates of triglyceride entry into the circulation of the rat under different physiological conditions. *J Physiol* 190, 321-32.

Ouerghi, D., Rivest, S., and Richard, D. (1992): Adrenalectomy attenuates the effect of chemical castration on energy balance in rats. *J Nutr* 122, 369-73.

Paglia, D. E., and Valentine, W. N. (1967): Studies on the quantitative and qualitative characterization of erythrocyte glutathione peroxidase. *J Lab Clin Med* 70, 158-69.

Pal, S., Takechi, R., and Ho, S. S. (2005): Conjugated linoleic acid suppresses the secretion of atherogenic lipoproteins from human HepG2 liver cells. *Clin Chem Lab Med* 43, 269-74.

Pariza, M. W., Ashoor, S.H., Chu, F.S., Lund, D.B. (1979): Effects of temperature and time on mutagen formation in pan-fried hamburger. *Cancer Lett* 7, 63-69.

Pariza, M. W., Park, Y., and Cook, M. E. (2000): Mechanisms of action of conjugated linoleic acid: evidence and speculation. *Proc Soc Exp Biol Med* 223, 8-13.

Pariza, M. W., Park, Y., and Cook, M. E. (2001): The biologically active isomers of conjugated linoleic acid. *Prog Lipid Res* 40, 283-98.

Park, Y., Albright, K. J., and Pariza, M. W. (2005): Effects of conjugated linoleic acid on long term feeding in Fischer 344 rats. *Food Chem Toxicol* 43, 1273-9.

Park, Y., Albright, K. J., Liu, W., Storkson, J. M., Cook, M. E., and Pariza, M. W. (1997): Effect of conjugated linoleic acid on body composition in mice. *Lipids* 32, 853-8.

Park, Y., Albright, K. J., Storkson, J. M., Liu, W., and Pariza, M. W. (2007): Conjugated linoleic acid (CLA) prevents body fat accumulation and weight gain in an animal model. *J Food Sci* 72, S612-7.

Park, Y., Storkson, J. M., Albright, K. J., Liu, W., and Pariza, M. W. (1999): Evidence that the trans-10,cis-12 isomer of conjugated linoleic acid induces body composition changes in mice. *Lipids* 34, 235-41.

Park, Y., Storkson, J. M., Albright, K. J., Liu, W., and Pariza, M. W. (2005): Biological activities of conjugated fatty acids: conjugated eicosadienoic (conj. 20:2 Δ (c11,t13/t12,c14)), eicosatrienoic (conj. 20:3 Δ (c8,t12,c14)), and heneicosadienoic (conj. 21:2 Δ (c12,t14/c13,t15)) acids and other metabolites of conjugated linoleic acid. *Biochim Biophys Acta* 1687, 120-9.

Park, Y., Storkson, J. M., Liu, W., Albright, K. J., Cook, M. E., and Pariza, M. W. (2004): Structure-activity relationship of conjugated linoleic acid and its cognates in inhibiting heparin-releasable lipoprotein lipase and glycerol release from fully differentiated 3T3-L1 adipocytes. *J Nutr Biochem* 15, 561-8.

Parodi, P. W. (1997): Cows' milk fat components as potential anticarcinogenic agents. *J Nutr* 127, 1055-60.

Patureau Mirand, P., Mosoni, L., Arnal-Bagnard, M., Faulconnier, Y., Chardigny, J., Chilliard, Y. (2006): Dietary conjugated linoleic acid has limited

effects on tissue protein anabolism in sedentary and exercising adult rats. *Reprod Nutr Dev* 46, 621–32.

Pepper, M. S. (1997): Transforming growth factor-beta: vasculogenesis, angiogenesis, and vessel wall integrity. *Cytokine Growth Factor Rev* 8, 21-43.

Perez-Matute, P., Marti, A., Martinez, J. A., Fernandez-Otero, M. P., Stanhope, K. L., Havel, P. J., and Moreno-Aliaga, M. J. (2007): Conjugated linoleic acid inhibits glucose metabolism, leptin and adiponectin secretion in primary cultured rat adipocytes. *Mol Cell Endocrinol* 268, 50-8.

Peters, J. M., Park, Y., Gonzalez, F. J., and Pariza, M. W. (2001): Influence of conjugated linoleic acid on body composition and target gene expression in peroxisome proliferator-activated receptor alpha-null mice. *Biochim Biophys Acta* 1533, 233-42.

Petridou, A., Mougios, V., and Sagredos, A. (2003): Supplementation with CLA: isomer incorporation into serum lipids and effect on body fat of women. *Lipids* 38, 805-11.

Poirier, H., Niot, I., Clement, L., Guerre-Millo, M., and Besnard, P. (2005): Development of conjugated linoleic acid (CLA)-mediated lipotrophic syndrome in the mouse. *Biochimie* 87, 73-9.

Poirier, H., Shapiro, J. S., Kim, R. J., and Lazar, M. A. (2006): Nutritional supplementation with trans-10, cis-12-conjugated linoleic acid induces inflammation of white adipose tissue. *Diabetes* 55, 1634-41.

Poulos, S. P., Sisk, M., Hausman, D. B., Azain, M. J., and Hausman, G. J. (2001): Pre- and postnatal dietary conjugated linoleic acid alters adipose development, body weight gain and body composition in Sprague-Dawley rats. *J Nutr* 131, 2722-31.

Prins, J. B., Niesler, C. U., Winterford, C. M., Bright, N. A., Siddle, K., O'Rahilly, S., Walker, N. I., and Cameron, D. P. (1997): Tumor necrosis factor-alpha induces apoptosis of human adipose cells. *Diabetes* 46, 1939-44.

Purushotham, A., Shrode, G. E., Wendel, A. A., Liu, L. F., and Belury, M. A. (2007): Conjugated linoleic acid does not reduce body fat but decreases hepatic steatosis in adult Wistar rats. *J Nutr Biochem* 18, 676-84.

Rafecas, I., Esteve, M., Fernandez-Lopez, J. A., Remesar, X., and Alemany, M. (1994): Whole-rat protein content estimation: applicability of the N x 6.25 factor. *Br J Nutr* 72, 199-209.

Rahman, S. M., Wang, Y., Yotsumoto, H., Cha, J., Han, S., Inoue, S., and Yanagita, T. (2001): Effects of conjugated linoleic acid on serum leptin concentration, body-fat accumulation, and beta-oxidation of fatty acid in OLETF rats. *Nutrition* 17, 385-90.

Rainer, L., and Heiss, C. J. (2004): Conjugated linoleic acid: health implications and effects on body composition. *J Am Diet Assoc* 104, 963-8, quiz 1032.

Ramsay, T. G., Evock-Clover, C. M., Steele, N. C., and Azain, M. J. (2001): Dietary conjugated linoleic acid alters fatty acid composition of pig skeletal muscle and fat. *J Anim Sci* 79, 2152-61.

Reeves, P. G., Nielsen, F. H., and Fahey, G. C., Jr. (1993): AIN-93 purified diets for laboratory rodents: final report of the American Institute of Nutrition ad hoc writing committee on the reformulation of the AIN-76A rodent diet. *J Nutr* 123, 1939-51.

Riserus, U., Arner, P., Brismar, K., and Vessby, B. (2002): Treatment with dietary trans10cis12 conjugated linoleic acid causes isomer-specific insulin resistance in obese men with the metabolic syndrome. *Diabetes Care* 25, 1516-21.

Riserus, U., Vessby, B., Arnlov, J., and Basu, S. (2004): Effects of cis-9,trans-11 conjugated linoleic acid supplementation on insulin sensitivity, lipid peroxidation, and proinflammatory markers in obese men. *Am J Clin Nutr* 80, 279-83.

Ritzenthaler, K. L., McGuire, M. K., Falen, R., Shultz, T. D., Dasgupta, N., and McGuire, M. A. (2001): Estimation of conjugated linoleic acid intake by written dietary assessment methodologies underestimates actual intake evaluated by food duplicate methodology. *J Nutr* 131, 1548-54.

Roche, H. M., Noone, E., Sewter, C., Mc Bennett, S., Savage, D., Gibney, M. J., O'Rahilly, S., and Vidal-Puig, A. J. (2002): Isomer-dependent metabolic effects of conjugated linoleic acid: insights from molecular markers sterol regulatory element-binding protein-1c and LXRA. *Diabetes* 51, 2037-44.

Rosen, E. D., Kulkarni, R. N., Sarraf, P., Ozcan, U., Okada, T., Hsu, C. H., Eisenman, D., Magnuson, M. A., Gonzalez, F. J., Kahn, C. R., and Spiegelman, B. M. (2003): Targeted elimination of peroxisome proliferator-activated receptor gamma in beta cells leads to abnormalities in islet mass without compromising glucose homeostasis. *Mol Cell Biol* 23, 7222-9.

Rosenberg, I. Nutrition and nutritional requirements. En: Fauci A, Braunwald E, Isselbacher K, Wilson J. Martin J, Kasper D (editores) (1991). *Principles of internal medicine*. New York: McGraw-Hill.

Ryder, J. W., Portocarrero, C. P., Song, X. M., Cui, L., Yu, M., Combatsiaris, T., Galuska, D., Bauman, D. E., Barbano, D. M., Charron, M. J., Zierath, J. R., and Houseknecht, K. L. (2001): Isomer-specific antidiabetic properties of conjugated linoleic acid. Improved glucose tolerance, skeletal muscle insulin action, and UCP-2 gene expression. *Diabetes* 50, 1149-57.

Sailaja, J. B., Balasubramaniyan, V., and Nalini, N. (2004): Effect of exogenous leptin administration on high fat diet induced oxidative stress. *Pharmazie* 59, 475-9.

Sakono, M., Miyanaga, F., Kawahara, S., Yamauchi, K., Fukuda, N., Watanabe, K., Iwata, T., and Sugano, M. (1999): Dietary conjugated linoleic acid reciprocally modifies ketogenesis and lipid secretion by the rat liver. *Lipids* 34, 997-1000.

Santos-Zago, L. F., Botelho, A. P., and de Oliveira, A. C. (2007): Supplementation with commercial mixtures of conjugated linoleic acid in association with vitamin E and the process of lipid autoxidation in rats. *Lipids* 42, 845-54.

Satory, D. L., and Smith, S. B. (1999): Conjugated linoleic acid inhibits proliferation but stimulates lipid filling of murine 3T3-L1 preadipocytes. *J Nutr* 129, 92-7.

Shaw, D. I., Hall, W. L., and Williams, C. M. (2005): Metabolic syndrome: what is it and what are the implications? *Proc Nutr Soc* 64, 349-57.

Shaw, M. A., Rasmussen, K. M., and Myers, T. R. (1997): Consumption of a high fat diet impairs reproductive performance in Sprague-Dawley rats. *J Nutr* 127, 64-9.

Simon, C., Pellicer, A., and Polan, M. L. (1995): Interleukin-1 system crosstalk between embryo and endometrium in implantation. *Hum Reprod* 10 Suppl 2, 43-54.

Simon, E., Macarulla, M. T., Churruca, I., Fernandez-Quintela, A., and Portillo, M. P. (2006): trans-10,cis-12 conjugated linoleic acid prevents adiposity but not insulin resistance induced by an atherogenic diet in hamsters. *J Nutr Biochem* 17, 126-31.

Smedman, A., and Vessby, B. (2001): Conjugated linoleic acid supplementation in humans--metabolic effects. *Lipids* 36, 773-81.

Smit, E. N., Muskiet, F. A., and Boersma, E. R. (2004): The possible role of essential fatty acids in the pathophysiology of malnutrition: a review. *Prostaglandins Leukot Essent Fatty Acids* 71, 241-50.

Smith, V. S., and Giacoia, G. P. (1985): Hyperinsulinaemic hypoglycaemia in an infant with mosaic trisomy 13. *J Med Genet* 22, 228-30.

Soliman, A. T., ElZalabany, M. M., Salama, M., and Ansari, B. M. (2000): Serum leptin concentrations during severe protein-energy malnutrition: correlation with growth parameters and endocrine function. *Metabolism* 49, 819-25.

Song, H. J., Grant, I., Rotondo, D., Mohede, I., Sattar, N., Heys, S. D., and Wahle, K. W. (2005): Effect of CLA supplementation on immune function in young healthy volunteers. *Eur J Clin Nutr* 59, 508-17.

Specter, S. E., Hamilton, J. S., Stern, J. S., and Horwitz, B. A. (1995): Chronic protein restriction does not alter energetic efficiency or brown adipose tissue thermogenic capacity in genetically obese (fa/fa) Zucker rats. *J Nutr* 125, 2183-93.

Stangl, G. I. (2000): Conjugated linoleic acids exhibit a strong fat-to-lean partitioning effect, reduce serum VLDL lipids and redistribute tissue lipids in food-restricted rats. *J Nutr* 130, 1140-6.

Takahashi, Y., Kushiro, M., Shinohara, K., and Ide, T. (2002): Dietary conjugated linoleic acid reduces body fat mass and affects gene expression of proteins regulating energy metabolism in mice. *Comp Biochem Physiol B Biochem Mol Biol* 133, 395-404.

Takahashi, Y., Kushiro, M., Shinohara, K., and Ide, T. (2003): Activity and mRNA levels of enzymes involved in hepatic fatty acid synthesis and oxidation in mice fed conjugated linoleic acid. *Biochim Biophys Acta* 1631, 265-73.

Teachey, M. K., Taylor, Z. C., Maier, T., Saengsirisuwan, V., Sloniger, J. A., Jacob, S., Klatt, M. J., Ptock, A., Kraemer, K., Hasselwander, O., and Henriksen, E. J. (2003): Interactions of conjugated linoleic acid and lipoic acid on insulin action in the obese Zucker rat. *Metabolism* 52, 1167-74.

ter Hofstede, H. J., Willems, H. L., and Koopmans, P. P. (2004): Serum L-lactate and pyruvate in HIV-infected patients with and without presumed NRTI-related adverse events compared to healthy volunteers. *J Clin Virol* 29, 44-50.

Terpstra, A. H. M. (2001): Differences between humans and mice in efficacy of the body fat lowering effect of conjugated linoleic acid: Role of metabolic rate. *J. Nutr.* 131, 2067–2068.

Terpstra, A. H., Beynen, A. C., Everts, H., Kocsis, S., Katan, M. B., and Zock, P. L. (2002): The decrease in body fat in mice fed conjugated linoleic acid is due to increases in energy expenditure and energy loss in the excreta. *J Nutr* 132, 940-5.

Thom, E., Wadstein, J., and Gudmundsen, O. (2001): Conjugated linoleic acid reduces body fat in healthy exercising humans. *J Int Med Res* 29, 392-6.

Tsuboyama-Kasaoka, N., Miyazaki, H., Kasaoka, S., and Ezaki, O. (2003): Increasing the amount of fat in a conjugated linoleic acid-supplemented diet reduces lipodystrophy in mice. *J Nutr* 133, 1793-9.

Tsuboyama-Kasaoka, N., Takahashi, M., Tanemura, K., Kim, H. J., Tange, T., Okuyama, H., Kasai, M., Ikemoto, S., and Ezaki, O. (2000): Conjugated linoleic acid supplementation reduces adipose tissue by apoptosis and develops lipodystrophy in mice. *Diabetes* 49, 1534-42.

Vaille, K., Grippo, D., Blouquit, M. F., Souidi, M., Riottot, M., Bouthegourd, J. C., Serougne, C., and Martin, J. C. (2004): Lipid atherogenic risk markers can be more favourably influenced by the cis-9,trans-11-octadecadienoate isomer than a conjugated linoleic acid mixture or fish oil in hamsters. *Br J Nutr* 91, 191-9.

Wahle, K. W., Heys, S. D., and Rotondo, D. (2004): Conjugated linoleic acids: are they beneficial or detrimental to health? *Prog Lipid Res* 43, 553-87.

Wang, C. F., and Hegsted, D. M. (1949): Determination of blood and plasma volumes, thiocyanate space, and bromsulfalein clearance in rats. *Am J Physiol* 156, 227-32.

Wang, C. F., and Hegsted, D. M. (1949): Normal blood volume, plasma volume and thiocyanate space in rats and their relation to body weight. *Am J Physiol* 156, 218-26.

Wargent, E., Sennitt, M. V., Stocker, C., Mayes, A. E., Brown, L., O'Dowd, J., Wang, S., Einerhand, A. W., Mohede, I., Arch, J. R., and Cawthorne, M. A. (2005): Prolonged treatment of genetically obese mice with conjugated linoleic acid improves glucose tolerance and lowers plasma insulin concentration: possible involvement of PPAR activation. *Lipids Health Dis* 4, 3.

Warren, J. M., Simon, V. A., Bartolini, G., Erickson, K. L., Mackey, B. E., and Kelley, D. S. (2003): Trans-10,cis-12 CLA increases liver and decreases adipose tissue lipids in mice: possible roles of specific lipid metabolism genes. *Lipids* 38, 497-504.

Waterlow, J. (1996). *Malnutrición proteico-energética*. Organización Panamericana de la Salud. Washington, DC, USA.

Webster, A. J. F. (1993): Energy partitioning, tissue growth and appetite control. *Proc. Nutr. Soc.* 52, 69–76.

Wegmann, T. G., Lin, H., Guilbert, L., and Mosmann, T. R. (1993): Bidirectional cytokine interactions in the maternal-fetal relationship: is successful pregnancy a TH2 phenomenon? *Immunol Today* 14, 353-6.

Weinkove, C., Weinkove, E. A., and Pimstone, B. L. (1976): Glucose tolerance and insulin release in malnourished rats. *Clin Sci Mol Med* 50, 153-63.

Wendel, A. A., Purushotham, A., Liu, L. F., and Belury, M. A. (2008): Conjugated linoleic acid fails to worsen insulin resistance but induces hepatic steatosis in the presence of leptin in ob/ob mice. *J Lipid Res* 49, 98-106.

West, D. B., Blohm, F. Y., Truett, A. A., and DeLany, J. P. (2000): Conjugated linoleic acid persistently increases total energy expenditure in AKR/J mice without increasing uncoupling protein gene expression. *J Nutr* 130, 2471-7.

West, D. B., Delany, J. P., Camet, P. M., Blohm, F., Truett, A. A., and Scimeca, J. (1998): Effects of conjugated linoleic acid on body fat and energy metabolism in the mouse. *Am J Physiol* 275, R667-72.

White, D., Porter, M., Martin, R. (2000): Effects of age on the feeding response to moderately low dietary protein rats. *Physiol Behav* 68, 673–81.

Xu, X., Storkson, J., Kim, S., Sugimoto, K., Park, Y., and Pariza, M. W. (2003): Short-term intake of conjugated linoleic acid inhibits lipoprotein lipase and glucose metabolism but does not enhance lipolysis in mouse adipose tissue. *J Nutr* 133, 663-7.

Yamasaki, M., Ikeda, A., Oji, M., Tanaka, Y., Hirao, A., Kasai, M., Iwata, T., Tachibana, H., and Yamada, K. (2003): Modulation of body fat and serum leptin levels by dietary conjugated linoleic acid in Sprague-Dawley rats fed various fat-level diets. *Nutrition* 19, 30-5.

Yang, H., Glickman, B. W., and de Boer, J. G. (2002): Effect of conjugated linoleic acid on the formation of spontaneous and PhIP-induced mutation in the colon and cecum of rats. *Mutat Res* 500, 157-68.

Yang, R., Le, G., Li, A., Zheng, J., and Shi, Y. (2006): Effect of antioxidant capacity on blood lipid metabolism and lipoprotein lipase activity of rats fed a high-fat diet. *Nutrition* 22, 1185-91.

Yang, Y., Zhou, L., Gu, Y., Zhang, Y., Tang, J., Li, F., Shang, W., Jiang, B., Yue, X., and Chen, M. (2007): Dietary chickpeas reverse visceral adiposity, dyslipidaemia and insulin resistance in rats induced by a chronic high-fat diet. *Br J Nutr* 98, 720-6.

Yu, L. (2001): Free radical scavenging properties of conjugated linoleic acids. *J Agric Food Chem* 49, 3452-6.

Yu, Y., Correll, P. H., and Vanden Heuvel, J. P. (2002): Conjugated linoleic acid decreases production of pro-inflammatory products in macrophages: evidence for a PPAR gamma-dependent mechanism. *Biochim Biophys Acta* 1581, 89-99.

Zabala, A., Fernandez-Quintela, A., Macarulla, M. T., Simon, E., Rodriguez, V. M., Navarro, V., and Portillo, M. P. (2006a): Effects of conjugated linoleic acid on skeletal muscle triacylglycerol metabolism in hamsters. *Nutrition* 22, 528-33.

Zabala, A., Churrua, I., Fernandez-Quintela, A., Rodriguez, V. M., Macarulla, M. T., Martinez, J. A., and Portillo, M. P. (2006b): trans-10,cis-12 Conjugated linoleic acid inhibits lipoprotein lipase but increases the activity of lipogenic enzymes in adipose tissue from hamsters fed an atherogenic diet. *Br J Nutr* 95, 1112-9.

Zenclussen, A. C., Kortebani, G., Mazzolli, A., Margni, R., and Malan Borel, I. (2000): Interleukin-6 and soluble interleukin-6 receptor serum levels in recurrent spontaneous abortion women immunized with paternal white cells. *Am J Reprod Immunol* 44, 22-9.