

REFERENCIAS POR CAPÍTULO

A decorative graphic element consisting of a horizontal line and a vertical line that meet at a right angle, positioned in the bottom right corner of the page.

CAPÍTULO 1: INTRODUCCIÓN GENERAL

Abadie-Maumert F.A. y Soteland N. (1985). Utilization of ozone for the treatment of recycleable papers. *Ozone: Science & Engineering*, 7(3): 229-239.

Barzyk D., Page D.H. y Ragauskas A. (1997). Acidic group topochemistry and fibre-to-fibre specific bond strength. *J. Pulp Paper Sci.*, 23(2): 59-61.

Bourbonnais R. y Paice M. (1996). Enzymatic delignification of kraft pulp using laccase and a mediator. *Tappi J.*, 79(6): 199-204.

Bourbonnais R., Paice M.G., Freiermuth B., Bodie E. y Borneman S. (1997). Reactivities of various mediators and laccases with kraft pulp and lignin model compounds. *Appl. Environ. Microbiol.*, 63(12): 4627-4632.

Chakar F.S. y Ragauskas A.J. (2000). The kismet of residual lignins during LMS delignification of high-kappa kraft pulps. *Holzforschung*, 54(6): 647-653.

Diesen M. (1998a). Chapter 1: Main characteristics of the global forest industry. En: Diesen M. (Ed.) *Economics of Pulp and Paper Industry. Papermaking Science and Technology*, PI-Tappi Press, Finlandia, Libro 1, p.11.

Diesen M. (1998b). Chapter 4: Raw material resources- secondary fiber supply. En: Diesen M. (Ed.) *Economics of Pulp and Paper Industry. Papermaking Science and Technology*, PI-Tappi Press, Finlandia, Libro 1, pp.52-54.

Diesen M. (1998c). Chapter 4: Raw material resources- secondary fiber supply. En: Diesen M. (Ed.) *Economics of Pulp and Paper Industry. Papermaking Science and Technology*, PI-Tappi Press, Finlandia, Libro 1, p.56.

Formento J.C., Maximino M.G., Adell A.M. y Taleb M.C. (2003). Selective refining actions on repulped long-fiber kraft paper. *Tappi J.*, online exclusive, 2(9). www.tappi.org

Fors C. (2000). The effect of fibre charge consolidation in papermaking. Licentiate thesis, Royal Institute of Technology, Estocolmo, Suecia.

Freeland S.A. y Hrutfiord B.F. (1994). Caustic treatment of OCC for strength improvement during recycling. *Tappi J.*, 77(4): 185-191.

GMC 52/99 - Norma Grupo Mercado Común. Mercosur.

Götttsching L. (2000). Chapter 1: General aspects and basic statistics. En: Götttsching, L y Pakarinen, H. (Eds.). *Recycled fiber and deinking. Papermaking Science and Technology*, PI-Tappi Press, Finlandia, Libro 7, p.13.

Gurnagul N. (1995). Sodium hydroxide addition during recycling: Effects on fiber swelling and sheet strength. *Tappi J.*, 78(12): 119-124.

- Haynes K.K. (1998).** Physical properties of laccase-mediator delignified pulps. Doctoral thesis, *Institute of Paper Science & Technology (IPST)*, Atlanta, Georgia, Estados Unidos.
- IPPC. Integrated Pollution Prevention and Control (2001).** Documento de referencia de las BAT en la Industria de la pulpa y el papel.
www.eper.cec.eu.int/eper/EMISSIONS_source_category.asp?j=
- Lassus A. (2000).** Chapter 7: Deinking chemistry. En: Götttsching, L y Palarinen, H. (Eds.) *Recycled fiber and deinking. Papermaking Science and Technology*. PI-Tappi Press, Finlandia, Libro 7, pp. 261-262.
- Long P.X. y Hsieh J.S. (1998).** Kinetic study of ozone treatment on recycled pulp. *1998 Pulping Conference-TAPPI Proceedings*, pp. 1227-1236.
- McKee R.C. (1971).** Effect of repulping on sheet properties and fiber characteristics. *Paper Trade J.*, 155(21): 34-40.
- Sarkar J.M., Cosper D.R. y Harting E.J. (1995).** Applying enzymes and polymers to enhance the freeness of recycled fiber. *Tappi J.*, 78(2): 89-95.
- Scallan A.M. (1983).** The effect of acidic groups on the swelling of pulps: A review. *Tappi J.*, 66(11): 73-75.
- Schneider P. (1995).** Enhancement of laccase reactions. Patent WO 95/01426, NOVO Nordisk.
- Scott G.M. y Abubakr S. (1994).** Evaluation of long soaking times for rehydration of recycled fibers. *Proceedings, 1994 Recycling Symposium*, Tappi Press, Atlanta, pp. 127-130.
- Stenius P. y Laine J. (1994).** Studies of cellulose surface by titration and ESCA. *Applied Surface Science*, 75: 213-219.
- Whitsitt W. (1978).** Effect of ozonation on recycled fiber properties. Progress Report Project 2697-53 IPC, Appleton, Wisconsin, September 24.
- Wong Y., Anderson K.B. y Kibblewhite R.P. (1999).** Effects of the laccase-mediator system on the handsheet properties of two high kappa kraft pulps. *Enzyme and Microbial Technology*, 25: 125-131.
- Zhang M. (2003).** Preventing strength loss of unbleached kraft fibers. Doctoral thesis, *North Carolina State University*, Estados Unidos.

CAPÍTULO 2: ASPECTOS GENERALES

- Ackermann C., Gottsching L. y Pakarinen H. (2000).** Chapter 10: Papermaking potential of recycled fiber. En: Götttsching,L y Pakarinen, H. (Eds.), *Papermaking Science and Technology*, Libro 7, pp. 359-438.
- Alanko K. (1993).** Recyclability of thermomechanical fibers. M.Sc. thesis, *Helsinki University of Technology, Department of Fores Products Technology*, Espoo, Finlandia.
- Bouchard J. y Douek M. (1993).** The effects of recycling on the chemical properties of pulps. *2nd Research Forum on Recycling*, CPPA, Montreal, p. 23.
- Bonner J. y Galston A.W.(1969).** Principios de fisiología vegetal. 4^{ta} Ed.Aguilar, Madrid, España.
- Cao B., Tschirner U. y Ramaswamy S. (1998).** Impact of pulp chemical composition on recycling. *Tappi J.* 81(12): 119-127.
- Eklund D. y Lindström T. (1991).** Chapter II: The fibre and its behaviour during papermaking. En: Eklund, D. y Lindström, T.(Eds.). *Paper Chemistry. An Introduction*. DT Paper Science Publications Grankulla, Finland, pp. 8-52.
- Fellers C., Htun M., Kolman M. y de Ruvo A. (1978).** The effect of beating strategy in the manufacture of board from recycled fibers. *Svensk Papperstidning*, 14: 443-446.
- Feng Z. (2001).** Alkaline pulping of non-wood feedstocks and characterization of black liquors. Doctoral thesis, *Jyväskylä University*, Finlandia.
- Fors C. (2000).** The effect of fibre charge consolidation in papermaking. Licentiate thesis, *Royal Institute of Technology*, Estocolmo, Suecia.
- Gurnagul N., Ju S. y Page D.H. (2001).** Fibre-fibre bond strength of once-dried pulps. *J. Pulp Paper Sci.*, 27(3): 88-91.
- Horn R.A. (1975).** What are the effects of recycling on fiber and paper properties?. *Paper Trade J.*, 24(2): 78-82.
- Jang H.F. , Howard R.C. y Seth R.S. (1995).** Fiber characterization using confocal microscopy. The effects of recycling. *Tappi J.*, 78(12): 131-137.
- Jayme G. (1944).** Mikro-Quellungsmessungen an zellstoffen. *Wochenbl. Papierfabr.*, 72(6): 187-194.
- Kibblewhite R.P. (1988).** Some properties of kraft and neutral sulphite-anthraquinone pulps of yields 49 to 69 per cent. *Appita*, 41(6): 451-455.
- Kiviranta A. (2000).** Chapter 2: Paperboard grades. En: Gullischsen y Paulapuro (Eds.), *Paper & Board Grades - Papermaking Science and Technology*, PI-Tappi Press, Finlandia, Libro 18, p. 55-72.

- Klofta J. y Miller M.L. (1993).** Effects of deinking on the recycle potential of papermaking fibers. *1993 CPPA 2nd Research Forum on Recycling, CPPA, Montreal*, p. 207.
- Koljonen K. (2004).** Effect of surface properties of fibres on some paper properties of mechanical and chemical pulp. Doctoral Thesis. *Helsinki University of Technology*, p.12.
- Laine J., Hynynen R. y Stenius P. (1997).** The effect of surface chemical composition and charge on the fibre and paper properties of unbleached and bleached kraft pulps. En: *The fundamental of papermaking materials. Transactions of the 11th Fundamental Research Symposium*, Ed. Pira-International, Cambridge, vol.2., pp. 859-892.
- Laivins G.V. y Scallan A. M. (1993).** The mechanism of hornification of wood pulps. En: Baker, C.F. (Ed.) *Products of Papermaking: Transactions of the 10th Fundamental Research Symposium*, Oxford, Vol. 2, Pira, Leatherhead, Inglaterra, 2, pp. 1235-1260.
- Lundberg R. y de Ruvo A. (1978).** The effect of lignin removal on the recovery of mechanical properties in recycled papers. *Svensk Papperstidning*, 8: 266-269.
- Mohlin, U.-B., Dahlbom, J., Hornatowska, J. (1996).** Fibre deformation and sheet strength. *Tappi J.*, 79(6): 105.
- Nazhad M.M. y Paszner L. (1994).** Fundamentals of strength loss in recycled paper. *Tappi J.*, 77(9):171-179.
- Page D.H., Seth R.S., Jordan B.D. y Barbe M.C. (1985).** Curl, crimps, kinks, and microcompressions in pulp fibres-Their origin, measurement and significance. En: Punton, V (Ed). *Papermaking raw materials. Transactions of the 8th Fundamental Research Symposium held at Cambridge Sept. 1985*, Mechanical engineering Publications Ltd. London, 1986, vol. 1, pp. 183-227.
- Parham R.A. y Gray R.L. (1990).** Chapter 2: Formation and structure of wood. En: Parham R.A. y Gray R.L. (Eds.) *The Practical Identification of Wood Pulp Fibers*, Tappi Press, p. 6.
- Rydholm S.A. (1965).** Chapter 9: Chemical Pulping. Parte II: Preparation of unbleached pulp. En: Rydholm, S.A. (Ed.), *Pulping Processes*, Interscience Publishers, Londres, p. 647.
- Salmén, L. y Ljunggren, S. (1996).** Physicochemical aspects of fibre processing. En: Kennedy J.F., Phillips G.O. y Williams P.A. (Eds.) *The chemistry and processing of wood and plant fibrous materials*. Woodhead, Cambridge, pp. 173-181.
- Scallan A.M. y Tigerstrom A.C. (1992).** Swelling and elasticity of the cell walls of pulp fibers. *J. Pulp Paper Sci.*, 18(5): 188-192.
- Sjöström E. (1993).** Wood Chemistry. Fundamentals and Applications. Second Edition. Academic Press Inc., San Diego, California.

- Sjöström E. y Westermark (1999).** Chapter 1: Chemical composition of wood and pulps: Basic constituents and their distribution. En: Sjöström, E. y Alén, R. (Eds). *Analytical Methods in Wood Chemistry, Pulping, and Papermaking*, Springer-Verlag Berlin, Heidelberg, Nueva York, p. 17.
- Smook G.A. (1990).** Capítulo 7: Pulpeado kraft. En: Kocurek, M.J. (Ed.). *Manual para técnicos de pulpa y papel*. Tappi Press, Atlanta, USA, p. 73.
- Stenius P. y Laine J. (1994).** Studies of cellulose surface by titration and ESCA. *Applied Surface Science*, 75: 213-219.
- Stone J. E. y Scallan A.M. (1968).** A structural model for the cell wall of water-swollen wood pulp fibers based on their accessibility to macromolecules. *Cellulose Chem. Technol.*, 2(3): 343-358.
- van de Ven T.G.M. (2000).** A model for the adsorption of polyelectrolytes on pulp fibers: Relation between fiber structure and polyelectrolyte properties. *Nordic Pulp Paper Res. J.*, 15(5): 494-501.
- Weise U. (1998).** Hornification mechanisms and terminology. *Paperi Ja Puu-Paper and Timber*, 80(2): 110-115.
- Widsten P. (2002).** Oxidative activation of wood fibers for the manufacture of medium-density fiberboard. Doctoral thesis, *Helsinki University of Technology*, Espoo, Finlandia.
- Zhang M. (2003).** Preventing strength loss of unbleached kraft fibers. Doctoral thesis, *North Carolina State University*, Estados Unidos.

CAPÍTULO 3: MÉTODOS GENERALES

- Dence C.W. (1992).** Chapter 2.2.: The determination of Lignin. En: Lin S.Y. y Dence C.W. (Eds) *Method in Lignin Chemistry*, Springer-Verlag, pp. 39-40.
- Fors C. (2000).** The effect of fibre charge consolidation in papermaking. Licentiate thesis, *Royal Institute of Technology*, Estocolmo, Suecia.
- Giertz, H.W. (1986).** Brightness and Opacity. En: Seminario de pulpeado termomecánico y quimimecánico aplicados a papeles de impresión. 22º Congreso ATIPCA.
- Goldschmid, O. (1954).** Determination of phenolic hydroxyl content of lignin preparations by ultraviolet spectrophotometry. *Analytical Chemistry*, 26(9):1421-1423.
- Gomide J.L. y Demuner B.J. (1986).** Determinação do teor de lignina em material lenhoso: método Klason modificado. *O Papel*, 4(8): 36-38.
- Guerra A. (2002).** Biodegradação de *Pinus taeda* por *Cerioporiopsis subvermispora*: Caracterização dos polímeros residuais. Tesis doctoral, *Facultad de Ciencias Farmacéuticas, Universidad de San Pablo*, San Pablo, Brasil.

- Guillén F., Martínez A.T. y Martínez M.J. (1992).** Substrate specificity and properties of the aryl-alcohol oxidase from the ligninolytic fungus *Pleurotus eryngii*. *Eur. J. Bioche.*, 209: 603-611.
- Gurnagul N., Ju S. y Page D.H. (2001).** Fibre-Fibre bond strength of once-dried pulps. *J. Pulp Paper Sci.*, 27(3): 88-91.
- Haynes K.K. (1998).** Physical properties of laccase-mediator delignified pulps. Doctoral thesis, Institute of Paper Science & Technology (IPST), Atlanta, Georgia, Estados Unidos.
- Katz S., Beatson R.P. y Scallan A.M. (1984).** The determination of strong and weak acidic groups in sulfite pulps. *Svensk Papperstidning*, 87(6): 48-53.
- Li J. (1999).** Towards an accurate determination of lignin in chemical pulps. Doctoral thesis, *Royal Institute of Technology* (KTH), Estocolmo, Suecia.
- Lloyd J.A. y Horne C.W. (1993).** The determination of fibre charge and acidic groups of *Radiata* pine pulps. *Nordic Pulp Paper Res. J.*, 8(1) 48-57.
- Normas Tappi 2004-2005** (disponibles en CD-room)
- Page D.H. (1969).** A theory for the tensile strength of paper. *Tappi J.*, 52(4): 674-681.
- Ragnar M. (2000).** Chapter 1: Introduction. En: On the importance of radical formation in ozone bleaching. Doctoral thesis, Royal Institute of Technology, Estocolmo, Suecia, noviembre, p.22-23.
- Scallan A.M. y Grignon J. (1979).** The effects of cations on pulp and paper properties. *Svensk Papperstidning*, 2: 40-47.
- SCAN Test Methods.** *Scandinavian pulp, paper and board. Testing Committee.*
- Vuorinen y Alén (1999).** Chapter 3: Carbohydrates. En: Sjöström, E. y Alén, R. (Eds). *Analytical Methods in Wood Chemistry, Pulping, and Papermaking*, Springer-Verlag Berlin, Heidelberg, Nueva York, p.39.
- Wexler, A.S. (1964).** Characterization of liginosulfonates by ultraviolet spectrometry. Direct and Difference Spectrograms. *Analytical Chemistry*, 36(1): 213-221.
- Zakis G.F. (1994).** Functional Analysis of lignins and their derivatives. *Tappi Press*, Atlanta, Georgia, Estados Unidos.
- Zanuttini, M, Citroni, M., Martinez, M.J. y Marzocchi, V. (1996).** Caracterización del hinchamiento alcalino de la madera de álamo. *Información Tecnológica*, 7(6), 185-192.

CAPÍTULO 4: DETERMINACIÓN DE LA CARGA SUPERFICIAL DE LAS FIBRAS CELULÓSICAS.

Adamson A.W. (1990). Chapter XI: The solid liquid interface-adsorption from solution. En: Physical chemistry of surfaces. Fifth edition. John Wiley & Sonc, Inc., pp. 430-432.

Barzyk D., Page D.H. y Ragauskas A. (1997). Acidic group topochemistry and fibre-to-fibre specific bond strength. *J. Pulp Paper Sci.*, 23(2): 59-61.

Blaakmeer J., Böhmer M.R., Cohen Stuart M.A. y Fler G.J. (1990). Adsorption of weak polyelectrolytes on highly charged surfaces. Poly(acrylic acid) on polystyrene latex with strong cationic groups. *Macromolecules*, 23: 2301-2309.

Brunauer S., Emmett P.H. y Teller E. (1938). Adsorption of gases in multimolecular layers. *J. Chem. Soc.*, 60 (2): 309-313.

Buchert J., Teleman A., Carlsson G., Tenkanen M., Laine J., Harjunpää V. y col. (1995). Effects of pulping and bleaching on the surface composition of kraft pulps. The 8th international symposium on wood and pulping chemistry, Helsinki, Finland, p. 567.

Busker L.H. y Cronin D.C. (1982). The relative importance of wet press variables in water removal. *International Water Removal Symposium*, Vancouver, p. 25.

Eklund D. y Lindström T. (1991). Chapter V: Colloidal Stability”. En: Eklund, D. y Lindström, T.(Eds.), *Paper Chemistry. An Introduction*, DT Paper Science Publications, Grankulla, Finlandia, p. 132.

Falk M., Ödberg L, Wågberg L. y Risinger G. (1989). Adsorption kinetics for cationic polyelectrolytes onto pulp fibers in turbulent flow. *Colloids and Surfaces*, 40: 115-124.

Fler G.J., Cohen-Stuart M.A., Scheutjens J. M. H. M., Cosgrove T. y Vicent B. (1993). Chapter 7: Electrostatic effects: Charged surfaces and polyelectrolyte adsorption. En: *Polymers at Interfaces*, Chapkman & Hall, London, pp. 343-375.

Fors C. (2000). The effect of fibre charge consolidation in papermaking. Licentiate thesis, Royal Institute of Technology, Estocolmo, Suecia.

Hansen R.S., Fu Y. y Bartell F.E. (1949). Multimolecular adsorption from binary liquid solutions, *J. Phys. Colloid Chem.* 53: 769-785.

Hedborg F. (1992). Chemical aspects of the adsorption, retention and sizing processes in fine paper stocks containing calcium carbonate. Licentiate thesis, *Royal Institute of Technology*, Estocolmo, Suecia.

Hedborg F. y Lindström T. (1993). Adsorption of cationic starch on bleached softwood cellulosic fibres. *Nordic Pulp Paper Research J.* , 8 (2): 258-263.

- Hesselink F.T. (1977).** On the theory of polyelectrolyte adsorption. The effect on adsorption behavior of the electrostatic contribution to the adsorption free energy. *J. Colloid Interface Sci.*, 60(3): 448-466.
- Kam S. y Gregory J. (1999).** Charge determination of synthetic cationic polyelectrolytes by colloid titration. *Colloid and Surfaces. A: Physicochemical and Engineering Aspects*, 159(1): 165-179.
- Laine J. (1996).** The effect of cooking and bleaching on the surface chemistry and charge properties of kraft pulp fibres. Dissertation thesis, *Helsinki University of Technology*.
- Laine J., Buchert J., Viikari L. y Stenius P. (1996).** Characterization of unbleached kraft pulps by enzymatic treatment, potentiometric titration and polyelectrolyte adsorption. *Holzforschung*, 50(3): 208-214.
- Laine J., Hynynen R. y Stenius P. (1997).** The effect of surface chemical composition and charge on the fibre and paper properties of unbleached and bleached kraft pulps. En: The fundamental of papermaking materials. *Transactions of the 11th Fundamental Research Symposium*, Ed. Pira-International, Cambridge, vol.2., pp. 859-892.
- Lindström T. y Carlsson G. (1982).** The effect of chemical environment on fiber swelling. *Svensk Papperstidning*, 14-20.
- Marton J. y Marton T. (1976).** Wet end starch: adsorption of starch on cellulosic fibers. *Tappi J.*, 59(12): 121-124.
- Masadome T. (2003).** Determination of cationic polyelectrolytes using a photometric titration with crystal violet as a color indicator. *Talanta*, 59: 659-666.
- Moeller H.W. (1966).** Cationic starch as a wet-end strength additive. *Tappi J.*, 49(5): 211-214.
- Nedelcheva M.P. y Stoilkov G.V. (1978).** Cationic starch adsorption by cellulose: I. *J. Colloid Int. Science*, 66(3): 475-483.
- Oliveira Jr. O.N. (2005).** Universidade de São Paulo, Instituto de Física de São Carlos, Departamento de Física e Ciência dos Materiais. IFSC-USP. Comunicación personal.
- Page D.H. (1969).** A theory for the tensile strength of paper. *Tappi J.*, 52(4): 674-681.
- Raposo M., Mattoso L. y Oliveira O. (1998).** Adsorption isotherms of poly(o-methoxyaniline)". *Thin Solid Films*, 327-329.
- Rice M. y Roeraade J. (2003).** Continuous filtration and titration apparatus for real time monitoring of polyelectrolyte concentration and cationic demand of a paper furnish. *Nordic Pulp Paper Res. J.*, 18(1): 95-107.

- Scallan A.M. y Grignon J. (1979).** The effects of cations on pulp and paper properties. *Svensk Papperstidning*, 2: 40-47.
- Scallan A.M. (1983).** The effect of acidic groups on the swelling of pulps: A review. *Tappi J.*, 66(11): 73-75.
- Scallan A.M. y Tigerstrom A.C. (1992).** Swelling and elasticity of the cell walls of pulp fibers. *J.Pulp Paper Sci.*, 18(5): 188-192.
- Sjödin U. y Ödberg L. (1996).** The influence of metal ions on polyelectrolyte adsorption. *Colloid and Surface A: Physicochemical and Engineering Aspects*, 116: 269-275.
- Sjöström, E. (1989).** The origin of charge on cellulosic fibers. *Nordic Pulp and Paper Research Journal*, 4(2): 90–93.
- Sjöström E. (1993).** Wood Chemistry. Fundamentals and Applications. Second Edition. Academic Press Inc., San Diego, California.
- Stenius P. y Laine J. (1994).** Studies of cellulose surface by titration and ESCA. *Applied Surface Science*, 75: 213-219.
- Stenius P. y Vuorinen T. (1999).** Chapter 6: Direct characterization of chemical properties of fibers. En: Sjöström, E. y Alén, R. (Eds). *Analytical Methods in Wood Chemistry, Pulping, and Papermaking*, Springer-Verlag Berlin, Heidelberg, Nueva York, 185-186.
- Stone J. E. y Scallan A.M. (1968).** A structural model for the cell wall of water-swollen wood pulp fibers based on their accessibility to macromolecules. *Cellulose Chem. Technol.*, 2(3): 343-358.
- van de Steeg H.G.M., Cohen Stuart M.A., de Keizer A. y Bijsterbosch B.H. (1992).** Polyelectrolyte adsorption: A subtle balance of forces. *Langmuir*, 8: 2538-2546.
- van de Ven T.G.M. (2000).** A model for the adsorption of polyelectrolytes on pulp fibers: Relation between fiber structure and polyelectrolyte properties. *Nordic Pulp Paper Res. J.*, 15(5): 494-501.
- Wågberg L., Winter L., Ödberg L. y Lindström T. (1987).** On the charge of stoichiometry upon adsorption of a cationic polyelectrolyte on cellulose materials. *Colloids and Surfaces*, 27: 163-173.
- Wågberg L., Ödberg L. y Glad-Nordmark G. (1989).** Charge determination of porous substrates by polyelectrolyte adsorption. Part 1: Carboxymethylated, bleached cellulosic fibers. *Nordic Pulp Paper Res. J.*, 4(2): 71-76.
- Wågberg L. (2000).** Polyelectrolyte adsorption onto cellulose fibres- A review. *Nordic Pulp Paper Res. J.*, 15(5): 586-596.
- Wågberg L. y Hägglund R. (2001).** Kinetics of polyelectrolyte adsorption on cellulosic fibres. *Langmuir*, 17(4): 1096-1103.

Wassmer K-H, Schroeder U. y Horn D. (1991). Characterization and detection of polyanions by direct polyelectrolyte titration. *Makroml. Chem*, 192: 553-565.

Winter L., Wågberg L., Ödberg L. y Lindström T. (1986). Polyelectrolytes adsorbed on the surface of cellulosic materials. *Journal of Colloid and Interface Science*, 111(2): 537- 543.

CAPÍTULO 5: TRATAMIENTOS OXIDATIVOS ENZIMÁTICOS

Bourbonnais R. y Paice M. (1992). Demethylation and delignification of kraft pulp by *Trametes versicolor* laccase in the presence of 2,2'-azinobis(3-ethylbenzthiazoline-6-sulphonate). *Applied Microbiol. Biotechnol*, 36(6): 823-827.

Bourbonnais R., Paice M.G., Lanthier P. y Yaguchi M. (1995). Lignin oxidation by laccase isozymes from *Trametes versicolor* and role of the mediator 2,2'-Azinobis(3-ethylbenzthiazoline-6-sulfonaate) in kraft lignin depolymerization. *Applied and Environmental Microbiology*, 61(5): 1876-1880.

Bourbonnais R. y Paice M. (1996). Enzymatic delignification of kraft pulp using laccase and a mediator. *Tappi J.*, 79(6): 199-204.

Bourbonnais R., Paice M.G., Freiermuth B., Bodie E. y Borneman S. (1997). Reactivities of various mediators and laccases with kraft pulp and lignin model compounds. *Appl. Environ. Microbiol.* , 63(12): 4627-4632.

Call H.P. (1994). PCT. World patent Application WO 94/29510. Diciembre 1994. Process for modifying, breaking down or bleaching lignin, materials containing lignin or like substances.

Chakar F.S. y Ragauskas A.J. (2000). The kismet of residual lignins during LMS delignification of high-kappa kraft pulps. *Holzforschung*, 54(6): 647-653.

Claus H. (2004). Laccase: Structure, reactions, distribution. *Micron* 35: 93-96.

Fors C. (2000). The effect of fibre charge consolidation in papermaking. Licentiate thesis, Royal Institute of Technology, Estocolmo, Suecia.

Freeland S.A. y Hrutfiord B.F. (1994). Caustic treatment of OCC for strength improvement during recycling. *Tappi J.*, 77(4): 185-191.

Fuentes J.K. y Robert M. (1988). Procède de Traitement D'une pate papetiere por une solution enzymatique. European Patent 262040.

Goldschmid, O. (1954). Determination of phenolic hydroxyl content of lignin preparations by ultraviolet spectrophotometry. *Analytical Chemistry*, 26(9):1421-1423.

Goring D.A.I. (1985). Some recent topics in wood and pulping chemistry. *Appita*, 38(1): 31-40.

- Grönqvist S., Buchert J., Rantanen K., Viikari L. y Suurnäkki A. (2003).** Activity of laccase on unbleached and bleached thermomechanical pulp. *Enzyme and Microbial Technology*, 32: 439-445.
- Gurnagul N. (1995).** Sodium hydroxide addition during recycling: Effects on fiber swelling and sheet strength. *Tappi J.*, 78(12): 119-124.
- Gutierrez A., del Rio J.C., Rencoret J., Ibarra D. y Martinez A.T. (2006).** Main lipophilic extractives in different paper pulp types can be removed using the laccase-mediator system. *Applied Microbiology and Biotechnology*, 72(4): 845-851.
- Haynes K.K. (1998).** Physical properties of laccase-mediator delignified pulps. Doctoral thesis, *Institute of Paper Science & Technology (IPST)*, Atlanta, Georgia, Estados Unidos.
- Heinzkill M. y Messner K. (1997).** Chapter 8: The ligninolytic system of fungi. En: T. Anke (Ed.). *Fungal Biotechnology*, Chapman & Hall, Weinheim, pp. 213-218.
- Jackson S.L., Heitmann J.A. y Joyce T.W. (1993).** Enzymatic modifications of secondary fiber. *Tappi J.*, 76(3): 147-154.
- Jackson L.S., Joyce T.W., Hetman J.A., Giesbrecht T.G. (1996).** Enzyme activity recovery from secondary fiber treated with cellulose and xylanase. *J. Biotechnology*, 45: 33-44.
- Katz S., Beatson R.P. y Scallan A.M. (1984).** The determination of strong and weak acidic groups in sulfite pulps. *Svensk Papperstidning*, 87(6): 48-53.
- Kawai S., Nakagawa M., Asukai M., Ohya N. y Ohashi H. (1999).** *10th Int. Symposium on Wood and Pulping Chemistry Proceedings*, Yokohama, Japan, 3: 72-75.
- Kleen M., Ohra-aho T., Tamminen T. (2003).** On the interaction of HBT with pulp lignin during mediated laccase delignification-a study using fractionated pyrolysis-GC/MS. *J. Anal. Pyrolysis*, 70: 589-600.
- Kondo R., Harazono K. y Sakai K. (1994).** Bleaching of hardwood kraft pulp with manganese peroxidase secreted from *Phanerochaete sordida* YK-624. *Applied and Environmental Microbiology*, 60(12): 4359-4363.
- Laine J., Buchert J., Viikari L. y Stenius P. (1996).** Characterization of unbleached kraft pulps by enzymatic treatment, potentiometric titration and polyelectrolyte adsorption. *Holzforschung*, 50(3): 208-214.
- Lloyd J.A. y Horne C.W. (1993).** The determination of fibre charge and acidic groups of *Radiata pine* pulps. *Nordic Pulp Paper Res. J.*, 8(1): 48-57.
- Lund M. y Felby C. (2001).** Wet strength improvement of unbleached kraft pulp through laccase catalyzed oxidation. *Enzyme Microb. Technol.*, 28: 760-765.

- Majcherczyk A. y Johannes C. (2000).** Radical mediated indirect oxidation of PEG-coupled polycyclic aromatic hydrocarbon (PAH) model compound by fungal laccase. *Biochimica et Biophysica Acta*, 1474(2): 157-162.
- McDonough T.J. (2001).** New developments in bleaching technology: A roadmap for the new millennium?. 7th *Brazilian Symposium on the chemistry of lignins & other wood components*, Belo Horizonte –MG, Brasil., 187-201.
- Nelson P. , Chin, C.W.J., Viikari L. y Tenkanen, M. (1998).** The use of a laccase mediator stage in bleaching eucalyptus kraft pulps. *Appita J.*, 51(6): 451-455.
- Paice M.G., Bourbonnais R. y Reid I.D. (1995).** Bleaching kraft pulps with oxidative enzymes and alkaline hydrogen peroxide. *Tappi J.*, 78(9): 161-169.
- Poppius-Levlin K., Wang W., Tamminen T., Hortling B., Viikari L. y Niku-Paavola M.L. (1999).** Effects of laccase/HBT treatment on pulp and lignin structure. *J. Pulp Paper Sci.*, 25(3): 90-94.
- Ragauskas A. y Elder T. (2004) Informe N°: DE-FC36-99GO10374.** Departamento de Energía. Oficina de Información científica y técnica (OSTI), EEUU.
www.osti.gov/bridge/servlets/purl/828216-XGmGBx/native/828216.pdf
- Saparrat M.C.N. (2000).** Estudio de la producción de lacasa fúngicas extracelulares en diferentes cepas autóctonas. Tesis Doctoral, Universidad Nacional de La Plata, Facultad de Ciencias Naturales y Museo, La Plata, Argentina.
- Scott G.M. y Abubakr S. (1994).** Evaluation of long soaking times for rehydration of recycled fibers. *Proceedings, 1994 Recycling Symposium*, Tappi Press, Atlanta, pp. 127-130.
- Sealey J. y Ragauskas A.J. (1998).** Residual lignin studies of laccase-delignified kraft pulps. *Enzyme Microb. Technol.*, 23: 422-426.
- Sealey J.E., Runge T.M. y Ragauskas A.J. (2000).** Laccase N-hydroxybenzotriazole full sequence bleaching with hydrogen peroxide and chlorine dioxide. *Tappi J.*, 83(9): 66-70.
- Shleev S., Christenson A., Serezhenkov V., Burbaev D., Yaropolov A., Gorton L. y Ruzgas T. (2005).** Electrochemical redox transformations of T1 and T2 copper sites in native *Trametes hirsuta* laccase at gold electrode. *Biochemical Society*, 385: 745-754.
- Thurston F. (1994).** The structure and function of fungal laccase. *Microbiology*, 140: 19-26.
- Viikari, L. (2006).** New fibre properties through enzymatic treatments.
www.ecotarget.com/news/New_fibre_properties_through_enzymatic_treatments_Viikari.pdf
- Wexler, A.S. (1964).** Characterization of liginosulfonates by ultraviolet spectrometry. Direct and Difference Spectrograms. *Analytical Chemistry*, 36(1): 213-221.

Widsten P., Qvintus-Leino P., Tuominen S. y Laine J.E. (2003). Manufacture of fiberboard from wood fibers activated with Fenton's reagent ($H_2O_2/FeSO_4$). *Holzforschung*, 57(4): 447-452.

Wong K.K.Y, Anderson K.B. y Kibblewhite P. (1999). Effects of the laccase-mediator system on the handsheets properties of two high kappa kraft pulps. *Enzyme and Microbial Technology* 25: 125-131.

Wong Y. y Yu J. (1999). Laccase-catalysed decolorization of synthetic dyes. *Wat. Res*, 33: 3512-3520.

Xu F., Kulys J.J., Duke K. , Li L. et al. (2000). Redox chemistry in laccase-catalyzed oxidation of N-Hydroxy compounds. *Applied and Environmental Microbiology*, (4): 2052-2056.

CAPITULO 6: TRATAMIENTOS OXIDATIVOS QUÍMICOS

Abadie-Maumert F.A. y Soteland N. (1985). Utilization of ozone for the treatment of recycleable papers. *Ozone: Science & engineering* 7(3): 229-239.

Chapman A.A., Nguyen K.L. y Cook R.A. (1999). On-line measurement of ozone consumption rate during high-consistency bleaching. *Tappi J.*, 82(10): 141-148.

Chen Z., Hetimann J.A. y Chang H. (1998). Secondary fibre quality enhancement. Alkaline and oxygen treatment. *Paper Technology*, (11): 45-49.

Chirat C. y Lachenal D. (1997). Effect of hydroxyl radicals on cellulose and pulp and their occurrence during ozone bleaching. *Holzforschung*, 51(2): 147-154.

Gellerstedt G. y Li J. (1996) An HPLC method for the quantitative determination of hexenuronic acid groups in chemical pulps. *Carbohydrate Res.*, 294: 41-51.

Gierer J. (1997). Formation and involvement of superoxide (O_2^-/HO_2^-) and hydroxyl (HO) radicals in TCF bleaching processes: A review. *Holzforschung*, 51(1): 34-46.

Gurnagul N., Ju S. y Page D.H. (2001). Fibre-Fibre bond strength of once-dried pulps. *J. Pulp Paper Sci.*, 27(3): 88-91.

Lachenal D. y Bokström M. (1986). Improvement of ozone prebleaching of kraft pulps" *J. Pulp Paper Sci.*, 12(2): 50-53.

Le My N., Sahgal P.N. (1989). Generation of ozone in two-dielectric ozonizer. *The Chemical Engineering Journal*, 40: 175-179.

Long P.X. y Hsieh J.S. (1998). Kinetic study of ozone treatment on recycled pulp. *1998 Pulping Conference-TAPPI Proceedings*, pp. 1227-1236.

- Page D.H. (1969).** A theory for the tensile strength of paper. *Tappi J.*, 52(4): 674-681.
- Procter (1973).** Ozone gas treatments of high kappa number kraft pulps. *International Pulp Bleaching Conference*, Vancouver, Canadá. 111-116
- Ragnar M. (2000).** Chapter 2: Model studies. En: On the importance of radical formation in ozone bleaching. Doctoral thesis, *Royal Institute of Technology*, Estocolmo, Suecia, noviembre, pp. 33-74.
- Roncero M.B., Colom J.F. y Vidal T. (2003).** Why oxalic acid protects cellulose during ozone treatments?. *Carbohydrate Polymers*, 52: 411-422.
- Wang H.H., Hunt K. y Wearing J.T. (2000).** Residual lignin distribution in bleached kraft pulp fibres. *J. Pulp Paper Sci.*, 25(2): 76-81.
- Widsten P., Hortling B. y Poppius-Levlin K. (2004).** Ozonation of conventional kraft and SuperBatch residual lignins in methanol/water and water. *Holzforschung*, 58: 363-368.