

PELECIPODOS DE AGUA DULCE DE LA FORMACION ITUZAINGO
(PLIOCENO TARDIO) DE LA PRESA DE YACYRETA,
DEPARTAMENTO ITAPUA, PARAGUAY.

Lourdes Susana Morton (*) y Paulino A. Sequeira (**)

Programa de Investigaciones
Geológicas y Paleontológicas (PRINGEPA)
Ruta 5, km 2,5 C.C. 128
3400 - Corrientes.

RESUMEN

Morton, L.S. y P.A. Sequeira 1991. Pelecípodos de agua dulce de la Formación Ituzaingó (Plioceno tardío) de la presa de Yacyretá, Departamento Itapúa, Paraguay. *Rev. Asoc. Cienc. Nat. Litoral* 22 (1): 25-34 .

Se describen dos nuevas formas de *Diplodon*, *D. itapuensis* y *D. ituzaingoensis* de la Formación Ituzaingó, de edad Plioceno tardío, que fueron recolectados en el área de la represa de Yacyretá-Apipé, Departamento Itapúa, Paraguay. Un tratamiento estadístico muestra claramente las diferencias con otras especies fósiles de la región NE de Argentina.

ABSTRACT

Morton, L.S. y P.A. Sequeira. 1991. Fresh-water pelecypods from the Ituzaingó Formation (Late Pliocene) of the Yacyreta Dam, Dept. Itapúa, Paraguay. *Rev. Asoc. Cienc. Nat. Litoral* 22 (1): 25-34 .

Two new species of *Diplodon*, *D. itapuensis* and *D. ituzaingoensis* from the Late Pliocene Ituzaingó Formation are described. The numerous specimens were collected in the area of Yacyretá-Apipé Dam, Dept. Itapúa, Paraguay. A biostatistical treatment clearly shows the differences with other extant and fossil species of the northeastern region of Argentina.